

Draft 2012
Clinical Modification

ICD/10~CN Complete Draft Code Set

Table of Contents

Introduction to	ICD-10-CM ii					
Development of	Development of ICD-1Ø-CMii					
The ICD-9-CM	Coordination and Maintenance Committee ii					
General Equiva	alency Mapping – ICD-9-CM to ICD-10-CM ii					
The ICD-1Ø-CM	1 Code Set Improvementsii					
How to Use the I	CD-10-CMiii					
Structure of IC	D-1Ø-CMiii					
Alphabetic Ind	lex of Diseases and Injuriesiii					
Tabular List of	Diseases and Injuriesiii					
ICD-10-CM Offic	ial Guidelines and Reporting Draft iv					
Section I:	ICD-1Ø-CM Conventions, General Coding Guidelines and Chapter Specific Guidelines iv					
Section II:	Selection of Principle Diagnosis 24					
Section III:	Reporting Additional Diagnosis 25					
Section IV:	Diagnostic Coding and Reporting Guidelines for Outpatient Services 25					
Alphabetic Inde	x					
Neoplasms Tab	ole					
Table of Drugs	and Chemicals347					
External Cause	es Index					
Tabular List of D	iseases and Injuries 1					
Chapter 1 —	Certain Infectious and Parasitic Diseases AØØ-B99					
Chapter 2 —	Neoplasms CØØ-D49 2Ø					
Chapter 3 —	Diseases of the Blood and Blood-Forming Organs and Certain Disorders Involving the Immune Mechanism D50-D89 50					
Chapter 4 —	Endocrine, Nutritional and Metabolic Diseases EØØ-E89					
Chapter 5 —	Mental and Behavioral Disorders FØ1-F99 74					

Chapter 6 —	Diseases of the Nervous System GØØ-G999Ø
Chapter 7 —	Diseases of the Eye and Adnexa HØØ-H591Ø6
Chapter 8 —	Diseases of the Ear and Mastoid Process H6Ø-H95137
Chapter 9 —	Diseases of the Circulatory System 100-199
Chapter 10 —	Diseases of the Respiratory System JØØ-J99
Chapter 11 —	Diseases of the Digestive System KØØ-K94
Chapter 12 —	Diseases of the Skin and Subcutaneous Tissue LØØ-L99
Chapter 13 —	Diseases of the Musculoskeletal System and Connective Tissue MØØ-M99
Chapter 14 —	Diseases of the genitourinary system NØØ-N99293
Chapter 15 —	Pregnancy, Childbirth and the Puerperium OØØ-O9A307
Chapter 16 —	Certain Conditions Originating in the Perinatal Period PØØ-P96
Chapter 17 —	Congenital Malformations, Deformations and Chromosomal Abnormalities Q00-Q99. 343
Chapter 18 —	Symptoms, Signs and Abnormal Clinical and Laboratory Findings, Not Elsewhere Classified RØØ-R99
Chapter 19 —	Injury, Poisoning and Certain Other Consequences of External Causes SØØ-T88
Chapter 20 —	External causes of morbidity VØØ-Y99 57Ø
Chapter 21 —	Factors Influencing Health Status and Contact with Health Services ZØØ-Z99 645

How to Use the ICD-10-CM

Structure of ICD-10-CM

The new structure will allow further expansion than was possible with ICD-9-CM as more positions in more chapters are left open and available for future modifications. This is the updated draft version of ICD-10-CM. However, the codes in this ICD-10-CM are not currently valid for any purpose or use. There is now an anticipated implementation date for the ICD-10-CM of October 1, 2013 and implementation will be based on the process for adoption of standard under the Health Insurance Portability and Accountability Act of 1996.

ICD-10-CM has an index and tabular list similar to ICD-9-CM; however, the alphabetic index is more in-depth. ICD-10-CM also uses an indented format for both the index and tabular list. The Tabular List is similar to the ICD-9-CM version of the Tabular List, containing categories, subcategories, codes and descriptors, arranged numerically within the 21 separate chapters. The coding guidelines outlining coding conventions for ICD-10-CM are in the index, which consists of two parts: the index to diseases and injury and the index to external causes of injury. The former 'V' and 'E' code classifications that were previously considered supplemental to ICD-9-CM are incorporated into the Tabular List in the ICD-10-CM code set as individual chapters. The Neoplasm Table and the Table of Drugs and Chemicals are located in the Alphabetic Index to Diseases and Injury. Additionally, the Index to External Causes has been included.

Alphabetic Index of Diseases and Injuries

The Alphabetic List contains terms in the ICD-10-CM code set and the corresponding code. This List is divided into two parts: 'Index to Diseases and Injuries' and 'Index to External Causes of Injuries'. Within the Index there is a Neoplasm Table and a Table of Drugs and Chemicals.

Alphabetic Index Instructional Notations

Abbreviations

NEC Not elsewhere classifiable – represents 'other specified.' When a specific code is not available for a condition, the Index directs the user to the 'other specified' code in the Tabular List.

Punctuation

() Parentheses – used in the Alphabetic Index to enclose supplementary words that may be present or absent in the statement of a disease/condition without affecting the code number to which is is assigned. The terms within the parentheses are referred to as nonessential modifiers.

Fainting (fit) R55

Manifestation codes

Conditions/diseases that are considered manifestation codes have a specific entry structure. Both conditions/diseases are listed together with the etiology code sequenced first, followed by the manifestation code second.

Trichinellosis, trichiniasis, trichinelliasis, trichinosis B75 with muscle disorder B75 [M63.80]

Morphology Codes

Some neoplasms contained in the Alphabetic Index include the morphology code or the histologic type. These codes are derived from the second edition of the International Classification of Diseases for Oncology (ICD-O). The correct morphology code can be found under the main term and subterm for the type of neoplasm, adenocarcinoma, sarcoma, etc.

Melanoma (malignant) (M8720/3) C43.9

Default Code

A code that is listed next to a main term in the Index is referred to as a default code. The default code represents the condition/disease that is most commonly associated with the main term, or the unspecified code for that condition. If a condition is documented in the medical record without any additional information (e.g., acute or chronic), the default code should be assigned.

Appendicitis (pneumococcal) (retrocecal) K37

Tabular List of Diseases and Injuries

The Tabular List consists of categories, subcategories, and valid codes. Valid ICD-10-CM codes contain letters (alpha) and numbers (numeric) and may be 3-7 digits long. The following describes the content of the specific digits:

- First Digit alpha. The only letter not used is the letter 'U', which is reserved for newly discovered diseases of unknown etiology.
- Second Digit numeric
- Third Digit numeric or alpha (not case sensitive)
- Fourth through Seventh Digits numeric or alpha (not case sensitive). *Note: For some ICD-10-CM codes, an 'x' is used as a 4th-6th digit character place holder.*

The Letter 'x' as a Place Holder

If the code indicates there is a required 7th digit and there are less than six (6) characters in the code, a place holder of 'x' should be assigned for all missing characters, in order to keep the 7th character of a code always in position of the 7th digit. These placeholders have been included in the Tabular List to enable users to code more accurately, although they may appear to be out-of-order. The ✓ icon noted in front of a code indicates the code has a 7th character, such as an encounter, sequela, tophus, gestations for fetus unspecified, etc.

Example:

W11.xxxA Fall on and from ladder, initial encounter

The ICD-10-CM system also utilizes the 'x' as a 5th character place holder with certain 6-digit codes to allow for future expansion. An example of this is found in the poisoning, adverse effect, and underdosing codes, categories T36-T50. Where a placeholder exists, the 'x' must be used in order for the code to be considered valid.

Punctuation

Brackets – used in the Tabular List to enclose synonyms, alternative wording, or explanatory phrases.

E87.5 Hyperkalemia

Potassium [K] excess Potassium [K] overload

() Parentheses – used in the Tabular List to enclose supplementary words that may be present or absent in the statement of a disease/ condition without affecting the code number to which is was assigned. The terms within the parentheses are referred to as nonessential modifiers.

G40.3 Generalized idiopathic epilepsy and epileptic syndromes

Benign neonatal convulsions (familial)

Colons – used in the Tabular List after an incomplete term, which needs one or more of the modifiers following the colon to make it assignable to a given category.

M89.7 Major osseous defect

Code first underlying disease, if known, such as: aseptic necrosis of bone (M87.-)

Abbreviations

NEC Not elsewhere classifiable. This abbreviation represents 'other specified'. When a specific code is not available for a condition, the Tabular List includes an NEC entry under a code to identify it as an 'other specified' code.

NOS Not otherwise specified. This is equivalent to an unspecified code.

Includes

The word Includes appears immediately under certain categories to add further definition, or give examples of the content of the category.

Example: K27 Peptic ulcer, site unspecified

Includes gastroduodenal ulcer NOS peptic ulcer NOS

Inclusion Terms

A list of terms is included under some codes. These terms are the conditions for which that code number is to be used. The terms may be synonyms of the code title, or in the case of 'other specified' codes, the

ICD-10-CM | 2012 Draft Introduction — iii

Bubo – continued	Burn – continued	Burn – continued
inguinal (nonspecific) 188.8	ankle T25.019	ear (auricle) (external) (canal) T20.01
chancroidal A57	first degree T25.119	first degree T20.11
climatic A55	left T25.012	second degree T20.21
due to H. ducreyi A57	first degree T25.112	third degree T20.31
infective I88.8	second degree T25.212	elbow T22.029
scrofulous (tuberculous) A18.2	third degree T25.312	first degree T22.129
soft chancre A57	multiple with foot – see Burn, lower, limb,	left T22.022
suppurating – see Lymphadenitis, acute	multiple, ankle and foot	first degree T22.122
syphilitic (primary) A51.0	right T25.011	second degree T22.222
congenital A50.07	first degree T25.111	third degree T22.322
tropical A55	second degree T25.211	right T22.021
virulent (chancroidal) A57	third degree T25.311	first degree T22.121
Bubonic plague A20.0	second degree T25.219	second degree T22.221
Bubonocele – <i>see</i> Hernia, inguinal	third degree T25.319 anus – see Burn, buttock	third degree T22.321 second degree T22.229
Buccal – see condition	arm (lower) (upper) – see Burn, upper, limb	third degree T22.329
Buchanan's disease or osteochondrosis M91.0	axilla T22.049	epidermal loss code as Burn, second degree, by
Buchem's syndrome (hyperostosis corticalis) M85.2	first degree T22.149	site
Bucket-handle fracture or tear (semilunar cartilage)	left T22.042	erythema, erythematous code as Burn, first
- see Tear, meniscus	first degree T22.142	degree, by site
•	second degree T22.242	esophagus T28.1
Budd-Chiari syndrome (hepatic vein thrombosis)	third degree T22.342	extent (percentage of body surface)
182.0	right T22.041	less than 10 percent T31.0
Budgerigar fancier's disease or lung J67.2	first degree T22.141	10-19 percent T31.10
Buds	second degree T22.241	with 0-9 percent third degree burns T31.10
breast E30.1	third degree T22.341	with 10-19 percent third degree burns
in newborn P96.89	second degree T22.249	T31.11
Buerger's disease (thromboangiitis obliterans) 173.1	third degree T22.349	20-29 percent T31.20
Bulbar - see condition	back (lower) T21.04	with 0-9 percent third degree burns T31.20
Bulbus cordis (left ventricle) (persistent) Q21.8	first degree T21.14	with 10-19 percent third degree burns
Bulimia (nervosa) F50.2	second degree T21.24	T31.21
atypical F50.9	third degree T21.34	with 20-29 percent third degree burns
normal weight F50.9	upper T21.03	T31.22
Bulky	first degree T21.13	30-39 percent T31.30
stools R19.5	second degree T21.23	with 0-9 percent third degree burns T31.30
uterus N85.2	third degree T21.33	with 10-19 percent third degree burns
	blisters code as Burn, second degree, by site	T31.31
Bulla (e) R23.8	breast(s) - see Burn, chest wall	with 20-29 percent third degree burns
lung (emphysematous) (solitary) J43.9 newborn P25.8	buttock(s) T21.05	T31.32
	first degree T21.15	with 30-39 percent third degree burns
Bullet wound – see also Wound, open	second degree T21.25	T31.33
fracture code as Fracture, by site	third degree T21.35	40-49 percent T31.40
internal organ – <i>see</i> Injury, by site	calf T24.039	with 0-9 percent third degree burns T31.40
Bundle	first degree T24.139	with 10-19 percent third degree burns
branch block (complete) (false) (incomplete) –	left T24.032	T31.41
see Block, bundle-branch	first degree T24.132	with 20-29 percent third degree burns
of His – see condition	second degree T24.232	T31.42
Bunion – see Deformity, toe, hallux valgus	third degree T24.332	with 30-39 percent third degree burns
Buphthalmia, buphthalmos (congenital) Q15.0	right T24.031	T31.43
Burdwan fever B55.0	first degree T24.131	with 40-49 percent third degree burns
Bürger-Grütz disease or syndrome E78.3	second degree T24.231	T31.44
Buried	third degree T24.331	50-59 percent T31.50
penis (congenital) Q55.64	second degree T24.239	with 0-9 percent third degree burns T31.50
acquired N48.83	third degree T24.339	with 10-19 percent third degree burns
roots K08.3	canthus (eye) – see Burn, eyelid	T31.51 with 20-29 percent third degree burns
Burke's syndrome K86.8	caustic acid or alkaline – see Corrosion, by site	T31.52
	cervix T28.3	with 30-39 percent third degree burns
Burkitt cell leukemia C91.0-	cheek T20.06 first degree T20.16	T31.53
	second degree T20.26	with 40-49 percent third degree burns
lymphoma (malignant) C83.7- small noncleaved, diffuse C83.7-	third degree T20.36	T31.54
spleen C83.77	chemical (acids) (alkalines) (caustics) (external)	with 50-59 percent third degree burns
undifferentiated C83.7-	(internal) – see Corrosion, by site	T31.55
tumor C83.7-	chest wall T21.01	60-69 percent T31.60
type	first degree T21.11	with 0-9 percent third degree burns T31.60
acute lymphoblastic leukemia C91.0-	second degree T21.21	with 10-19 percent third degree burns
undifferentiated C83.7-	third degree T21.31	T31.61
Burn (electricity) (flame) (hot gas, liquid or hot	chin T20.03	with 20-29 percent third degree burns
object) (radiation) (steam) (thermal) T30.0	first degree T20.13	T31.62
abdomen, abdominal (muscle) (wall) T21.02	second degree T20.23	with 30-39 percent third degree burns
first degree T21.12	third degree T20.33	T31.63
second degree T21.22	colon T28.2	with 40-49 percent third degree burns
third degree T21.32	conjunctiva (and cornea) – see Burn, cornea	T31.64
above elbow T22.039	cornea (and conjunctiva) T26.1-	with 50-59 percent third degree burns
first degree T22.139	chemical – see Corrosion, cornea	T31.65
left T22.032	corrosion (external) (internal) – see Corrosion,	with 60-69 percent third degree burns
first degree T22.132	by site	T31.66
second degree T22.232	deep necrosis of underlying tissue code as Burn,	70-79 percent T31.70
third degree T22.332	third degree, by site	with 0-9 percent third degree burns T31.70
right T22.031	dorsum of hand T23.069	with 10-19 percent third degree burns
first degree T22.131	first degree T23.169	T31.71
second degree T22.231	left T23.062	with 20-29 percent third degree burns
third degree T22.331	first degree T23.162	T31.72
second degree T22.239	second degree T23.262	with 30-39 percent third degree burns
third degree T22.339	third degree T23.362	T31.73
acid (caustic) (external) (internal) - see	right T23.061	with 40-49 percent third degree burns
Corrosion, by site	first degree T23.161	T31.74
alimentary tract NEC T28.2	second degree T23.261	with 50-59 percent third degree burns
esophagus T28.1	third degree T23.361	T31.75
mouth T28.0	second degree T23.269	with 60-69 percent third degree burns T31.76
pharynx T28.0	third degree T23.369	with 70-79 percent third degree burns
alkaline (caustic) (external) (internal) – see	due to ingested chemical agent – see Corrosion, by site	T31.77
COMOSION DV SITE		

ICD-10-CM | 2012 Draft Volume 2 — **67**

Klumpke (-Déjerine) palsy, paralysis (birth)	Kyphoscoliosis, kyphoscoliotic (acquired) (see also	Laceration - continued
(newborn) P14.1 Knee – see condition	Scoliosis) M41.9 congenital Q67.5	abdomen, abdominal – continued wall – continued
Knock knee (acquired) M21.06-	heart (disease) I27.1	right
congenital Q74.1	sequelae of rickets E64.3	lower quadrant S31.113
Knot(s)	tuberculous A18.01 Kyphosis, kyphotic (acquired) M40.209	with foreign body S31.123
intestinal, syndrome (volvulus) K56.2 surfer S89.8-	cervical region M40.202	penetration into peritoneal cavity
umbilical cord (true) 069.2	cervicothoracic region M40.203	\$31.613
Knotting (of)	congenital Q76.419 cervical region Q76.412	with foreign body S31.623 upper quadrant S31.110
hair L67.8 intestine K56.2	cervicothoracic region Q76.413	with
Knuckle pad (Garrod's) M72.1	occipito-atlanto-axial region Q76.411	foreign body S31.120 penetration into peritoneal cavity
Koch's	thoracic region Q76.414 thoracolumbar region Q76.415	S31.610
infection – see Tuberculosis	Morquio-Brailsford type (spinal) (see also	with foreign body S31.620
relapsing fever A68.9 Koch-Weeks' conjunctivitis – <i>see</i> Conjunctivitis,	subcategory M49.8) E76.219 postlaminectomy M96.3	accidental, complicating surgery – see Complications, surgical, accidental puncture
acute, mucopurulent	postradiation therapy M96.2	or laceration
Köebner's syndrome Q81.8	postural (adolescent) M40.00	Achilles tendon S86.02-
Köenig's disease (osteochondritis dissecans) – see	cervicothoracic region M40.03 thoracic region M40.04	adrenal gland S37.813 alveolar (process) – see Laceration, oral cavity
Osteochondritis, dissecans Köhler-Pellegrini-Steida disease or syndrome	thoracolumbar region M40.05	ankle S91.01-
(calcification, knee joint) – see Bursitis, tibial	secondary NEC M40.10	with foreign body S91.02-
collateral	cervical region M40.12 cervicothoracic region M40.13	antecubital space – see Laceration, elbow
Köhler's disease	thoracic region M40.14	anus (sphincter) S31.831
patellar – see Osteochondrosis, juvenile, patella tarsal navicular – see Osteochondrosis, juvenile,	thoracolumbar region M40.15	with ectopic or molar pregnancy 008.6
tarsus	sequelae of rickets E64.3 specified type NEC M40.299	foreign body S31.832
Koilonychia L60.3	cervical region M40.292	complicating delivery – see Delivery,
congenital Q84.6 Kojevnikov's, epilepsy – <i>see</i> Kozhevnikof's epilepsy	cervicothoracic region M40.293 thoracic region M40.294	complicated, by, laceration, anus (sphincter)
Koplik's spots B05.9	thoracolumbar region M40.295	following ectopic or molar pregnancy 008.6
Kopp's asthma E32.8	syphilitic, congenital A50.56	nontraumatic, nonpuerperal – see Fissure, anus arm (upper) S41.11-
Korsakoff's (Wernicke) disease, psychosis or	thoracic region M40.204 thoracolumbar region M40.205	with foreign body S41.12-
syndrome (alcoholic) F10.96 with dependence F10.26	tuberculous A18.01	lower – see Laceration, forearm
drug-induced	Kyrle disease L87.0	auditory canal (external) (meatus) – see Laceration, ear
due to drug abuse – see Abuse, drug, by type,		auricle, ear – see Laceration, ear
with amnestic disorder due to drug dependence – see Dependence,	L	axilla – see Laceration, arm back – see also Laceration, thorax, back
drug, by type, with amnestic disorder	_	lower S31.010
nonalcoholic F04	Labia, labium - see condition	with
Korsakov's disease, psychosis or syndrome – see Korsakoff's disease	Labile	foreign body S31.020 with penetration into retroperitoneal
Korsakow's disease, psychosis or syndrome – see	blood pressure R09.89 vasomotor system I73.9	space S31.021
Korsakoff's disease	Labioglossal paralysis G12.29	penetration into retroperitoneal space S31.011
Kostmann's disease or syndrome (infantile genetic agranulocytosis) – see Agranulocytosis	Labium leporinum - see Cleft, lip	bile duct \$36.13
Kozhevnikof's epilepsy G40.109	Labor – see Delivery	bladder S37.23
intractable G40.119	Labored breathing – see Hyperventilation Labyrinthitis (circumscribed) (destructive) (diffuse)	with ectopic or molar pregnancy 008.6 following ectopic or molar pregnancy 008.6
with status epilepticus G40.111 without status epilepticus G40.119	(inner ear) (latent) (purulent) (suppurative)	obstetrical trauma 071.5
not intractable G40.109	(see also subcategory) H83.0	blood vessel – see Injury, blood vessel bowel – see also Laceration, intestine
with status epilepticus G40.101	syphilitic A52.79 Laceration	with ectopic or molar pregnancy 008.6
without status epilepticus G40.109 Krabbe's	with abortion – see Abortion, by type,	complicating abortion – see Abortion, by type,
disease E75.23	complicated by laceration of pelvic organs	complicated by, specified condition NEC following ectopic or molar pregnancy 008.6
syndrome, congenital muscle hypoplasia Q79.8	abdomen, abdominal wall S31.119	obstetrical trauma 071.5
Kraepelin-Morel disease – see Schizophrenia Kraft-Weber-Dimitri disease Q85.8	with	brain (any part) (cortex) (diffuse) (membrane) – see also Injury, intracranial, diffuse
Kraurosis	foreign body S31.129	during birth P10.8
ani K62.89	penetration into peritoneal cavity S31.619 with foreign body S31.629	with hemorrhage P10.1
penis N48.0	epigastric region S31.112	focal – see Injury, intracranial, focal brain injury brainstem \$06.38-
vagina N89.8 vulva N90.4	with foreign body S31.122	breast S21.01-
Kreotoxism A05.9	penetration into peritoneal cavity	with foreign body S21.02- broad ligament S37.893
Krukenberg's	\$31.612	with ectopic or molar pregnancy 008.6
spindle – <i>see</i> Pigmentation, cornea, posterior tumor C79.6-	with foreign body S31.622	following ectopic or molar pregnancy 008.6
Kufs' disease E75.4	lower quadrant S31.114	laceration syndrome N83.8 obstetrical trauma 071.6
Kugelberg-Welander disease G12.1	with foreign body S31.124	syndrome (laceration) N83.8
Kuhnt-Junius degeneration (see also Degeneration,	penetration into peritoneal cavity	buttock S31.801 with foreign body S31.802
macula) H35.32 Kümmell's disease or spondylitis – see	S31.614	left S31.821
Spondylopathy, traumatic	with foreign body S31.624 upper quadrant S31.111	with foreign body S31.822 right S31.811
Kupffer cell sarcoma C22.3	with	with foreign body S31.812
Kuru A81.81	foreign body S31.121 penetration into peritoneal cavity	calf – see Laceration, leg
Kussmaul's disease M30.0	S31.611	canaliculus lacrimalis – see Laceration, eyelid canthus, eye – see Laceration, eyelid
respiration E87.2	with foreign body S31.621 periumbilic region S31.115	capsule, joint - see Sprain
in diabetic acidosis – <i>see</i> Diabetes, by type, with ketoacidosis	with	causing eversion of cervix uteri (old) N86
Kwashiorkor E40	foreign body S31.125	central (perineal), complicating delivery 070.9 cerebellum, traumatic S06.37-
marasmic, marasmus type E42	penetration into peritoneal cavity S31.615	cerebral S06.33-
Kyasanur Forest disease A98.2	with foreign body S31.625	left side S06.32- during birth P10.8
		with hemorrhage P10.1
		right side S06.31-

216 — Volume 2 2012 Draft | ICD-10-CM

pelvis, pelvic – sebaceous gland

pelvis, pelvic - continued wall pelvo-abdominal company of the pelvis wall pelvo-abdominal company of the pelvis wall pelvo-abdominal company of the pelvis corpus (acermosum) c602 c79.82 p07.4 p29.9 pd.048 p. poly corpus (acermosum) c602 c79.82 p07.4 p29.9 pd.088 p. poly corpus (acermosum) c602 c79.82 p07.4 p29.9 pd.088 p. poly corpus (acermosum) c602 c79.82 p07.4 p29.9 pd.088 p. poly corpus (acermosum) c602 c79.82 p07.4 p29.9 pd.088 p. poly corpus (acermosum) c602 c79.82 p07.4 p29.9 pd.088 p. poly corpus (acermosum) c602 c79.82 p07.4 p29.9 pd.088 p. poly corpus (acermosum) c602 c79.82 p07.4 p29.9 pd.088 p. poly corpus (acermosum) c602 c79.82 p07.4 p29.9 pd.088 p. poly corpus (acermosum) c609.9 c79.82 p07.4 p29.9 pd.088 p. poly corpus (acermosum) c609.9 c79.82 p07.4 p29.9 pd.08.8 pp. poly corpus (acermosum) c609.9 c79.82 poly corpus (acermosum) c609.9 c76.3 c79.89 poly c609.9 poly c609.9 perioancreatic c648.0 c78.6 poly c609.9							
pelvis, pelvic - continued wall wall pelvo-abdominal perivablominal C76.7 C79.89 D89.8 D36.7 D48.7 D49.8 pelvo-abdominal C76.7 C79.89 D89.8 D36.7 D48.7 D49.8 D49	Neoplasm, neoplastic	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
wear	pelvis, pelvic – continued			DØ9.8		D48.7	D49.89
penis C609 C79.82 D07/4 D29.0 D40.8 D			C79.89	DØ9.8	D36.7	D48.7	D49.89
Corpus (cavernosum) C60,2 C79,82 D07,4 D29,0 D40,8 D40,0							D49.5
glans		C6Ø.2	C79.82	DØ7.4	D29.Ø	D4Ø.8	D49.5
overlapping sites C608 -							D49.5
Skin NEC C60.9 C79.82 D07.4 D29.9 D40.8 Depriadrenal (tissue) C48.0 C78.6 - D20.0 D48.3 Depriadrenal (tskin) - see also Neoplasm, anus, skin C44.500			C79.82	DØ7.4	D29.Ø	D4Ø.8	D49.5
periadreal (tissue) Perianal (skin) - see also Neoplasm, anus, skin C44,500 C79.2 D04,5 D23.5 D48.5 D48.5 D89.6 D78.6 D78.6			-	-	-	-	-
perianal (skin) – see also Neoplasm, anus, skin							D49.5
Neoplasm, anus, skin		C48.Ø	C/8.6	-	D2Ø.Ø	D48.3	D49.Ø
pericardium G38.0 C79.89 - D15.1 D48.7 D49. Deprinephric C48.0 C76.6 - D20.0 D48.3 D49. Deprineum C76.3 C79.89 D09.8 D36.7 D48.7 D49. Deprineum C76.3 C79.89 D09.8 D36.7 D48.7 D49. Depriosteum See Neoplasm, bone Depripancreatic C48.0 C78.6 - D20.0 D48.3 D49. Deprired C48.0 C76.3 C79.89 - D36.17 D48.7 D49. Deprired C48.0 C78.6 - D20.1 D48.4 D49. Deprired C48.0 C78.6 - D20.1 D48.4 D49. Depritoneum, peritoneal C48.0 C78.6 - D20.1 D48.4 D49. Depritoneum, Depri		C44.5ØØ▲	C79.2	DØ4.5	D23.5	D48.5	D49.2
perinephric perinephric C48.0 C78.6 - D20.0 D48.3 Deperineum C76.3 C79.89 D09.8 D36.7 D48.7 D48.7 D49. Depriodontal tissue NEC C03.9 C79.89 D09.8 D36.7 D48.7 D48.7 D49. D49.8 D49.8 D36.7 D48.7 D49. D49.8		C38.Ø	C79.89	-	D15.1	D48.7	D49.89
perineum				-			D49.Ø
periosteum – see Neoplasm, bone peripancreatic Per		C76.3	C79.89	DØ9.8	D36.7		D49.89
Pelpalarm, bone peripancreatic C48.0 C78.6 - D20.0 D48.3 Deperipheral nerve NEC C47.9 C79.89 - D36.10 D48.2 Deperipheral nerve NEC C47.9 C79.89 - D36.10 D48.2 Deperipheral nerve NEC C47.9 C79.89 - D36.7 D48.7 D48.7 D49.20 Deperitoneum, peritoneal (cavity) begin mesothelial tissue peritoneum, peritoneal (cavity) begin mesothelial tissue see Mesothelioma, benign overlapping lesion C48.8 - D20.1 D48.4 D. D48.4 D49.20 D49	periodontal tissue NEC	CØ3.9	C79.89	DØØ.Ø3	D1Ø.39	D37.Ø9	D49.Ø
peripancreatic C48.8 C78.6 - D20.0 D48.3 D- perirheral nerve NEC C47.9 C79.89 - D36.10 D48.2 D- perirectal (tissue) C76.3 C79.89 - D36.7 D48.7 D48.7 D48.9 Derirheral (tissue) C48.0 C78.6 - D20.0 D48.3 D- perirheral (tissue) C48.0 C78.6 - D20.0 D48.3 D- perirhoreum peritoneal (cavity) Degin mesothelial tissue - see Mesothelioma, benign overlapping lesion C48.8							
peripheral nerve NEC C76.3 C79.89 D86.7 D86.8 D86.7 D86.7 D86.7 D86.7 D86.8 D86.8 D86.0 D86.0 D86.8 D86.0							
perirectal (tissue)							D49.Ø
peritoneum, peritoneal (cavity) begin mesothelial tissue				-			D49.2
peritoneum, peritoneal (cavity)				-			D49.89
begin mesothelial tissue			C/8.6	-			D49.Ø
See Mesothelioma Denign	(cavity)	C48.2	C78.6	-	D2Ø.1	D48.4	D49.Ø
parietal parietal C48.1 C78.6 - D20.1 D48.4 Depelvic C48.1 C78.6 - D20.1 D48.4 D2.5 D48.5 D	– <i>see</i> Mesothelioma, benign						
organs parietal		C48.8		-	-	-	-
Digatis Dig		C26.9	_	_	_	_	_
pelvic specified part NEC (48.1 C78.6 - D20.1 D48.4 D. specified part NEC (48.1 C78.6 - D20.1 D48.4 D. specified part NEC (48.1 C78.6 - D20.1 D48.4 D. peritonsillar (tissue) (76.0 C79.89 D09.8 D36.7 D48.7 D48.7 D49. D48.7 D49. D49. D49. D49. D49. D49. D49. D49.			C70.6		D2# 1	D40.4	D40 @
specified part NEC				-			D49.Ø D49.Ø
peritonsillar (tissue)							D49.0 D49.0
periurethral tissue phalanges C76.3 C79.89 - D36.7 D48.7 D48.7 D48.7 D48.7 Fotot C40.3 C79.51 - D16.3 - D16.1							D49.89
Phalanges C40.3 C79.51 - D16.3 - D16.3 - D16.3 D16.5 D16.3 D16.5 D16.3 D16.5							D49.89
foot hand		C7 0.5	C/ J.03		D30.7	D 10.7	D 15.05
Debarynx, pharyngeal C14.0 C79.89 D00.08 D10.9 D37.05 D2		C4Ø.3-	C79.51	-	D16.3-	-	-
Dursa C11.1 C79.89 D00.08 D10.6 D37.05 D0	hand	C4Ø.1-	C79.51	-	D16.1-	-	-
Fornix	pharynx, pharyngeal		C79.89	DØØ.Ø8	D1Ø.9	D37.Ø5	D49.Ø
recess				DØØ.Ø8			D49.Ø
region C14.0 C79.89 D00.08 D10.9 D37.05 Dctonsil C11.1 C79.89 D00.08 D10.6 D37.05 Dctonsil C11.1 C79.89 D00.08 D10.6 D37.05 Dctonsil C14.0 C79.89 D00.08 D10.9 D37.05 Dctonsil C14.0 C70.0 C79.32 - D32.0 D42.0 Dctonsil C14.0 C70.0 C79.32 - D32.0 D42.0 Dctonsil C15.0 C70.1 C79.49 - D32.1 D42.1 Dctonsil C15.0 Dctonsi							D49.Ø
tonsil C11.1 C79.89 DØØ.08 D10.6 D37.05 Demail (lateral) (posterior) C14.0 C79.89 DØØ.08 D10.9 D37.05 Depia mater C70.9 C79.40 - D32.9 D42.9 Depia mater C70.0 C79.32 - D32.0 D42.0 Depia cerebral C70.0 C79.32 - D32.0 D42.0 Depia cerebral C70.1 C79.49 - D32.1 D42.1 Depia cerebral C70.1 C79.49 - D32.1 D42.1 Depia cerebral C70.1 C79.89 DØ9.0 D32.1 D42.1 Depia cerebral C70.1 C79.89 DØ9.0 D32.1 D42.1 Depia cerebral C70.1 C79.89 DØ9.3 D35.4 D44.5 Depia cerebral C70.2 C79.89 DØ9.3 D35.4 D44.5 Depia cerebral C70.1 C79.89 DØ9.3 D35.4 D44.5 Depia cerebral C70.1 C79.89 DØ9.0 D83.4 D44.5 Depia cerebral C75.1 C79.89 DØ9.0 D83.4 D44.5 Depia cerebral C75.1 C79.89 DØ9.0 D93.2 D35.4 D44.5 Depia cerebral C75.1 C79.89 DØ9.0 D93.2 D35.4 D44.5 Depia cerebral C75.1 C79.89 DØ9.0 D93.2 D35.2 D44.3 Depia cerebral C75.1 C79.89 DØ9.0 D93.2 D35.2 D44.3 Depia cerebral C75.1 C79.89 DØ9.0 D93.2 D94.2							D49.Ø
wall (lateral) (posterior) C14.Ø C79.89 DØØ.Ø8 D10.9 D37.Ø5 Depinamater cerebral C70.9 C79.40 - D32.9 D42.9 D42.9 cerebral C70.0 C79.32 - D32.0 D42.0 D42.0 spinal C70.1 C79.49 - D32.1 D42.1 D42.1 pillars of fauces C09.1 C79.89 D00.08 D10.5 D37.05 D0 pineal (body) (gland) C75.3 C79.89 D09.3 D35.4 D44.5 D49.5 piriform fossa or sinus pituitary (body) (fossa) (gland) (lobe) C12 C79.89 D00.08 D10.7 D37.05 D44.5 plecura, pleural (cavity) C38.4 C78.2 D07.Ø D26.7 D39.2 D44.3 pleura, pleural (cavity) C38.4 C78.2 D19.Ø D38.2 D4 overlapping lesion with heart or mediastinum C38.4 C78.2 D19.Ø D38.2 D4 plexus C38.4 C78.2 D19.Ø							D49.Ø D49.Ø
pia mater							D49.0 D49.0
cerebral C70.0 C79.32 - D32.0 D42.0 D62.0 cranial C70.0 C79.32 - D32.0 D42.0 D9.0 spinal C70.1 C79.49 - D32.1 D42.1 D9.0 pillars of fauces C09.1 C79.89 D00.08 D10.5 D37.05 D0.0 pineal (body) (gland) C75.3 C79.89 D09.3 D35.4 D44.5 D4.0 pineal (body) (gland) C75.3 C79.89 D00.08 D10.7 D37.05 D48.5 pineal (body) (gland) C75.3 C79.89 D00.08 D10.7 D37.05 D48.5 piror forsa or sinus C12 C79.89 D00.08 D10.7 D37.05 D48.5 pituitary (body) (fossa) (gland) (lobe) C75.1 C79.89 D09.3 D35.2 D44.3 D44.5 pleura, pleural (cavity) C38.4 C78.2 D19.0 D38.2 D44.3 overlapping lesion with heart or mediastinum parietal C38.4 C78.2				-			D49.7
cranial C70.0 C79.32 - D32.0 D42.0 D42.0 spinal C70.1 C79.49 - D32.1 D42.1 D42.1 pillars of fauces C09.1 C79.89 D00.08 D10.5 D37.05 D79.00 pinal (ear) NEC - see also Neoplasm, skin, ear Apiriform fossa or sinus C44.20-A C79.2A D04.2-D D23.2-D D48.5-D D4 piriform fossa or sinus pituitary (body) (fossa) (gland) (lobe) C12 C79.89 D00.08 D10.7 D37.05 D4 pleural, pleural (cavity) C38.4 C78.2 D07.0 D26.7 D39.2 D4 overlapping lesion with heart or mediastinum parietal C38.4 C78.2 - D19.0 D38.2 D visceral C38.4 C78.2 - D19.0 D38.2 D plexus brachial C47.10 C79.89 - D36.12 D48.2 D cervical C47.0 C79.89 - D36.12 D48.2 D choroid </td <td></td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td>D49.7</td>				-			D49.7
spinal C7Ø.1 C79.49 - D32.1 D42.1 Depillars of fauces CØ9.1 C79.89 DØØ.08 D10.5 D37.05 Depineal (body) (gland) C75.3 C79.89 DØØ.08 D10.5 D37.05 Depineal (body) (body) DP pinna (ear) NEC - see also Neoplasm, skin, ear Pipiriform fossa or sinus piriform fossa or sinus (gland) (lobe) C12 C79.89 DØØ.08 D10.7 D37.05 D48.5- D44.5- D4				-			D49.7
pillars of fauces pineal (body) (gland) pinna (ear) NEC - see also Neoplasm, skin, ear piriform fossa or sinus pituitary (body) (fossa) (gland) (lobe) placenta pleura, pleural (cavity) overlapping lesion with heart or mediastinum parietal C38.4 C78.2 C78.2 D79.89 D79.3				-			D49.7
prinna (ear) NEC - see also Neoplasm, skin, ear	pillars of fauces	CØ9.1		DØØ.Ø8			D49.Ø
Neoplasm, skin, ear	pineal (body) (gland)	C75.3	C79.89	DØ9.3	D35.4	D44.5	D49.7
Neoplashi, Skin, ear Printer		C44.2∅-▲	C79.2▲	DØ4 2-	D23 2-	D48 5-	D49.2-
pituitary (body) (fossa) (gland) (lobe) placenta							
placenta	pituitary (body) (fossa)						D49.Ø D49.7
pleura, pleural (cavity)							
overlapping lesion with heart or mediastinum parietal				DØ7.0			D49.5
heart or mediastinum parietal C38.4 C78.2 - D19.0 D38.2 D visceral C38.4 C78.2 - D19.0 D38.2 D plexus brachial C47.10 C79.89 - D36.12 D48.2 D cervical C47.0 C79.89 - D36.11 D48.2 D choroid C71.5 C79.81 - D33.0 D43.0 D plumbosacral C47.5 C79.89 - D36.16 D48.2 D pluriendocrine C75.8 C79.89 - D36.16 D48.2 D pluriendocrine C75.8 C79.89 - D36.16 D48.2 D pluriendocrine C75.8 C79.89 - D36.16 D48.2 D poole frontal C71.1 C79.31 - D33.0 D43.0 D poole frontal C71.4 C79.31 - D33.0 D43.0 D poost (varolii) C71.7 C79.31 - D33.0 D43.0 D poost (varolii) C71.7 C79.31 - D33.1 D43.1 D poostcricoid (region) C13.0 C79.89 D00.08 D10.7 D33.0 D43.0 D posterior fossa (cranial) C71.9 C79.89 D00.08 D10.7 D33.2 D43.2 D D Dostnasal space C11.9 C79.89 D00.08 D10.6 D37.05 D D Dostnasal space C66.0 C79.82 D07.4 D29.0 D40.8 D			C/8.2	-	D19.0	D38.2	D49.1
parietal C38.4 C78.2 - D19.0 D38.2 Devisceral C38.4 C78.2 - D19.0 D38.2 Devisceral C38.4 C78.2 - D19.0 D38.2 Devisceral C47.0 C79.89 - D36.12 D48.2 Devisceral C47.0 C79.89 - D36.11 D48.2 Devisceral C47.5 C79.89 - D36.11 D48.2 Devisceral C47.5 C79.89 - D36.16 D48.2 Devisceral C47.5 C79.89 - D36.16 D48.2 Devisceral C47.5 C79.89 - D36.16 D48.2 Devisceral C47.5 C79.89 D09.3 D35.7 D44.9 Devisceral C47.5 C79.81 D33.0 D43.0 Devisceral C47.5 C79.81 D33.0 D43.0 Devisceral C47.5 C79.81 D33.1 D43.1 Devisceral C47.5 C79.89 D09.8 D10.7 D37.05 Devisceral C47.5 C79.89 D09.8 D10.7 D37.05 Devisceral C47.5 C79.89 D09.08 D10.7 D37.05 Devisceral C47.5 C79.89 D09.08 D10.6 D37.05 Devisceral C47.5 C79.89 D09.08 D10.6 D37.05 Devisceral C47.9 C79.82 D07.4 D29.0 D40.8 Devisceral C47.8 D09.08 D09.2 D13.1 D37.1 D40.09 D09.09 D09.		C38.8	-	-	-	-	-
visceral C38.4 C78.2 - D19.0 D38.2 Deplexus brachial C47.10 C79.89 - D36.12 D48.2 Decervical C47.0 C79.89 - D36.11 D48.2 Decervical C47.5 C79.31 - D33.0 D43.0 D43.0 Decervical C47.5 C79.89 - D36.16 D48.2 Deplexus sacral C47.5 C79.89 D09.3 D35.7 D44.9 Deplexus sacral C71.1 C79.31 - D33.0 D43.0 Deplexus sacral C71.4 C79.31 - D33.0 D43.0 Deplexus sacral C71.4 C79.31 - D33.1 D43.1 Deplexus sacral C71.7 C79.31 - D33.1 D43.1 D43.1 Deposition Sacratic Sacratial C71.9 C79.89 D09.08 D10.7 D37.05 Deposterior fossa (cranial) C71.9 C79.31 - D33.2 D43.2 Deposterior fossa (cranial) C71.9 C79.89 D09.08 D10.6 D37.05 Deposterior Sacratial C71.9 C79.89 D09.08 D10.6 D37.05 Deposterior C60.0 C79.82 D07.4 D29.0 D40.8 Deprepuce C60.0 C79.82 D07.4 D29.0 D40.8 Deprepulorus C16.4 C78.89 D09.2 D13.1 D37.1 D6.2		C38.4	C78.2	-	D19.Ø	D38.2	D49.1
brachial C47.10 C79.89 - D36.12 D48.2 Decrevical cervical C47.0 C79.89 - D36.11 D48.2 Decervical choroid C71.5 C79.31 - D33.0 D43.0 D43.0 lumbosacral C47.5 C79.89 - D36.16 D48.2 D48.2 sacral C47.5 C79.89 - D36.16 D48.2 D48.2 pluriendocrine C75.8 C79.89 D09.3 D35.7 D44.9 D49.0 pole C71.1 C79.31 - D33.0 D43.0 D				-			D49.1
cervical C47.Ø C79.89 - D36.11 D48.2 Description choroid C71.5 C79.31 - D33.Ø D43.Ø D43.Ø lumbosacral C47.5 C79.89 - D36.16 D48.2 D43.Ø pluriendocrine C75.8 C79.89 - D36.16 D48.2 D4.9 pluriendocrine C75.8 C79.89 D09.3 D35.7 D44.9 D4.9 pole Frontal C71.1 C79.31 - D33.Ø D43.Ø D43.Ø post (varolii) C71.7 C79.31 - D33.Ø D43.Ø D49.Ø popost (varolii) C71.7 C79.31 - D33.Ø D43.Ø D49.Ø popost (varolii) C71.7 C79.31 - D33.Ø D43.Ø D43.I D43.I <td>plexus</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	plexus						
choroid C71.5 C79.31 - D33.Ø D43.Ø D43.Ø lumbosacral C47.5 C79.89 - D36.16 D48.2 D48.2 sacral C47.5 C79.89 - D36.16 D48.2 D49.0 pluriendocrine● C75.8 C79.89 DØ9.3 D35.7 D44.9 D49.0 pole Frontal C71.1 C79.31 - D33.Ø D43.Ø D43.Ø porticial C71.4 C79.31 - D33.Ø D43.Ø D43.Ø pons (varolii) C71.7 C79.31 - D33.Ø D43.Ø D43.Ø postericioid (region) C76.5 C79.89 DØ4.7 D36.7 D48.7 D4 posterior fossa (cranial) C71.9 C79.89 DØ0.Ø8 D10.7 D37.Ø5 D posterior fossa (cranial) C71.9 C79.89 DØ0.Ø8 D10.6 D37.Ø5 D posterior fossa (cranial) C70.89 DØ0.Ø8 D10.6 D37.Ø5							D49.2
lumbosacral C47.5 C79.89 - D36.16 D48.2 D48.2 D5 sacral C47.5 C79.89 - D36.16 D48.2 D4 pluriendocrine● C75.8 C79.89 D09.3 D35.7 D44.9 D5 pole Frontal C71.1 C79.31 - D33.0 D43.0 D5 postigital C71.4 C79.31 - D33.0 D43.0 D5 post (varolii) C71.7 C79.31 - D33.1 D43.1 D5 popoliteal fossa or space C76.5 C79.89 D04.7 D36.7 D48.7 D4 postericioid (region) C13.0 C79.89 D00.08 D10.7 D37.05 D5 posterior fossa (cranial) C71.9 C79.31 - D33.2 D43.2 D43.2 posterior fossa (cranial) C71.9 C79.89 D00.08 D10.6 D37.05 D5 posterior fossa (cranial) C71.9 C79.82 D07.4							D49.2
sacral C47.5 C79.89 - D36.16 D48.2 Depluriendocrine● C75.8 C79.89 DØ9.3 D35.7 D44.9 Depluriendocrine● C75.8 C79.89 DØ9.3 D35.7 D44.9 Depluation Depluation DM3.0 D43.0 DM3.0 D43.0 DM3.0 DM3							D49.6
pluriendocrine● C75.8 C79.89 DØ9.3 D35.7 D44.9 Depole frontal C71.1 C79.31 - D33.0 D43.0 Depons (varolii) C71.7 C79.31 - D33.0 D43.0 Depons (varolii) C71.7 C79.31 - D33.1 D43.1 Depons (varolii) C71.7 C79.31 - D33.1 D43.1 Deponstericoid (region) C13.0 C79.89 DØ4.7- D36.7 D48.7 D49.0 Deposterior fossa (cranial) C71.9 C79.31 - D33.2 D43.2 Depostnasal space C11.9 C79.89 DØ0.08 D10.7 D37.05 Depostnasal space C11.9 C79.89 DØ0.08 D10.6 D37.05 Deprepuce C60.0 C79.82 DØ7.4 D29.0 D40.8 Depreputus C16.4 C78.89 DØ0.2 D13.1 D37.1 D60.00 D70.00 D7				-			D49.2 D49.2
frontal C71.1 C79.31 - D33.0 D43.0 D43.0 occipital C71.4 C79.31 - D33.0 D43.0 D43.0 pons (varolii) C71.7 C79.31 - D33.1 D43.1 D4 popliteal fossa or space C76.5- C79.89 DØ4.7- D36.7 D48.7 D4 postericoid (region) C13.0 C79.89 DØ0.08 D10.7 D37.05 D4 posterior fossa (cranial) C71.9 C79.31 - D33.2 D43.2 D43.2 posterior fossa (cranial) C71.9 C79.89 DØ0.08 D10.6 D37.05 D4 postanasal space C11.9 C79.89 DØ0.08 D10.6 D37.05 D4 prepuce C60.0 C79.82 DØ7.4 D29.0 D40.8 D4 prepylorus C16.4 C78.89 DØ0.2 D13.1 D37.1 D4	pluriendocrine •			DØ9.3			D49.2 D49.7
occipital C71.4 C79.31 - D33.0 D43.0 D43.0 pons (varolii) C71.7 C79.31 - D33.1 D43.1 D4 poppliteal fossa or space C76.5- C79.89 D04.7- D36.7 D48.7 D4 postericioid (region) C13.0 C79.89 D00.08 D10.7 D37.05 D4 posterior fossa (cranial) C71.9 C79.31 - D33.2 D43.2 D4 postnasal space C11.9 C79.89 D00.08 D10.6 D37.05 D prepuce C60.0 C79.82 D07.4 D29.0 D40.8 D prepylorus C16.4 C78.89 D00.2 D13.1 D37.1 D		C71.1	C79.31	-	D33.Ø	D43 Ø	D49.6
pons (varolii) C71.7 C79.31 - D33.1 D43.1 D4 popliteal fossa or space C76.5- C79.89 D04.7- D36.7 D48.7 D4 postericiod (region) C13.0 C79.89 D00.08 D10.7 D37.05 D posterior fossa (cranial) C71.9 C79.31 - D33.2 D43.2 D postnasal space C11.9 C79.89 D00.08 D10.6 D37.05 D prepuce C60.0 C79.82 D07.4 D29.0 D40.8 D prepylorus C16.4 C78.89 D00.2 D13.1 D37.1 D							D49.6
popliteal fossa or space C76.5- C79.89 DØ4.7- D36.7 D48.7 D4 postcricoid (region) C13.0 C79.89 DØ0.08 D10.7 D37.05 D- posterior fossa (cranial) C71.9 C79.31 - D33.2 D43.2 D43.2 postnasal space C11.9 C79.89 DØ0.08 D10.6 D37.05 D- prepuce C60.0 C79.82 DØ7.4 D29.0 D40.8 D- prepylorus C16.4 C78.89 DØ0.2 D13.1 D37.1 D-				-			D49.6
postcricoid (region) C13.0 C79.89 DØØ.08 D10.7 D37.05 Description Descrip				DØ4.7-			D49.89
posterior fossa (cranial) C71.9 C79.31 - D33.2 D43.2 D4 postnasal space C11.9 C79.89 D00.08 D10.6 D37.05 D4 postnasal space prepuce C60.0 C79.82 D07.4 D29.0 D40.8 D40.8 D40.2 D13.1 D37.1 D40.8 D40.2 D13.1 D37.1 D40.2 D40.8 D40.2 D40.2 D40.2 D40.8 D40.2							D49.Ø
prepuce C60.0 C79.82 D07.4 D29.0 D40.8 Deprepulorus C16.4 C78.89 D00.2 D13.1 D37.1 D40.8	posterior fossa (cranial)	C71.9	C79.31	-	D33.2	D43.2	D49.6
prepylorus C16.4 C78.89 DØØ.2 D13.1 D37.1 D4	*						D49.Ø
							D49.5
muses eval (vagion) (7/2 (70.00 D2/7 D4/2 D4/2				DØØ.2			D49.Ø
	presacral (region)	C76.3	C79.89	-	D36.7	D48.7	D49.89
							D49.5 D49.5

Alphabetic Index to Diseases

			1	1		
Neoplasm, neoplastic	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
pterygoid fossa	C49.Ø	C79.89	-	D21.Ø	D48.1	D49.2
pubic bone	C41.4	C79.51	-	D16.8	D48.Ø	D49.2
pudenda, pudendum						
(female)	C51.9	C79.82	DØ7.1	D28.Ø	D39.8	D49.5
pulmonary – see also						
Neoplasm, lung	C34.9-	C78.Ø-	DØ2.2-	D14.3-	D38.1	D49.1
putamen	C71.Ø	C79.31	-	D33.Ø	D43.Ø	D49.6
pyloric	0					
antrum	C16.3	C78.89	DØØ.2	D13.1	D37.1	D49.Ø
canal	C16.4	C78.89	DØØ.2	D13.1	D37.1	D49.Ø
pylorus	C16.4	C78.89	DØØ.2	D13.1	D37.1	D49.Ø
pyramid (brain)	C71.7	C79.31	-	D33.1	D43.1	D49.6
pyriform fossa or sinus	C12	C79.89	DØØ.Ø8	D10.7	D37.Ø5	D49.0
radius (any part)	C4Ø.Ø-	C79.51	-	D16.0-	-	
Rathke's pouch	C75.1	C79.89	DØ9.3	D35.2	D44.3	D49.7
rectosigmoid (junction)	C19	C78.5	DØ9.3	D12.7	D37.5	D49.0
overlapping lesion with	CIS	C/6.3	וושט	D12.7	D37.3	D49.0
anus or rectum	C21.8	-	-	-	-	-
rectouterine pouch	C48.1	C78.6		D2Ø.1	D48.4	D49.0
			-			
rectovaginal septum or	C76.3	C79.89	DØ9.8	D36.7	D48.7	D49.89
wall	C7C 2	C79.89	Dao	D2C 7	D40.7	D40.00
rectovesical septum	C76.3		DØ9.8	D36.7	D48.7	D49.89
rectum (ampulla)	C2Ø	C78.5	DØ1.2	D12.8	D37.5	D49.Ø
and colon	C19	C78.5	DØ1.1	D12.7	D37.5	D49.Ø
overlapping lesion with	C21.0					
anus or rectosigmoid junction	C21.8	_	-	_	-	_
renal	C64	C79.Ø-	DØ9.19	D3Ø.Ø-	D41.0-	D49.5
calyx	C65	C79.0-	DØ9.19	D3Ø.0-	D41.0-	D49.5
					D41.1-	
hilus	C65	C79.Ø-	DØ9.19	D3Ø.1-		D49.5
parenchyma	C64	C79.Ø-	DØ9.19	D3Ø.Ø-	D41.0-	D49.5
pelvis	C65	C79.Ø-	DØ9.19	D3Ø.1-	D41.1-	D49.5
respiratory	620.0	670.00	D.00.4	D444	D20.6	D 40 4
organs or system NEC	C39.9	C78.3Ø	DØ2.4	D14.4	D38.6	D49.1
tract NEC	C39.9	C78.3Ø	DØ2.4	D14.4	D38.5	D49.1
upper	C39.Ø	C78.3Ø	DØ2.4	D14.4	D38.5	D49.1
retina	C69.2-	C79.49	DØ9.2-	D31.2-	D48.7	D49.81
retrobulbar	C69.6-	C79.49	-	D31.6-	D48.7	D49.89
retrocecal	C48.Ø	C78.6	-	D2Ø.Ø	D48.3	D49.Ø
retromolar (area)	CØ6.2	C79.89	DØØ.ØØ	D1Ø.39	D37.Ø9	D49.0
(triangle) (trigone)						
retro-orbital	C76.Ø	C79.89	DØ9.8	D36.7	D48.7	D49.89
retroperitoneal (space)	C48.Ø	C78.6	_	D2Ø.Ø	D48.3	D49.0
(tissue)		C70.0	_	D20.0	D40.3	
retroperitoneum	C48.Ø	C78.6	-	D2Ø.Ø	D48.3	D49.Ø
retropharyngeal	C14.Ø	C79.89	DØØ.Ø8	D1Ø.9	D37.Ø5	D49.Ø
retrovesical (septum)	C76.3	C79.89	DØ9.8	D36.7	D48.7	D49.89
rhinencephalon	C71.Ø	C79.31	-	D33.Ø	D43.Ø	D49.6
rib	C41.3	C79.51	-	D16.7	D48.Ø	D49.2
Rosenmüller's fossa	C11.2	C79.89	DØØ.Ø8	D1Ø.6	D37.Ø5	D49.Ø
round ligament	C57.2	C79.82	-	D28.2	D39.8	D49.5
sacrococcyx,			D16.0			
sacrococcygeal	C41.4	C79.51	D16.8	D48.Ø	D49.2	
region	C76.3	C79.89	DØ9.8	D36.7	D48.7	D49.89
sacrouterine ligament	C57.3	C79.82	-	D28.2	D39.8	D49.5
sacrum, sacral (vertebra)	C41.4	C79.51	-	D16.8	D48.Ø	D49.2
salivary gland or duct	CØ8.9	C79.89	DØØ.ØØ	D11.9	D37.Ø39	D49.Ø
(major)						
minor NEC	CØ6.9	C79.89	DØØ.ØØ	D1Ø.39	D37.Ø4	D49.Ø
overlapping lesion	CØ8.9	-	-	-	-	-
parotid	CØ7	C79.89	DØØ.ØØ	D11.Ø	D37.Ø3Ø	D49.Ø
pluriglandular	CØ8.9	C79.89	DØØ.ØØ	D11.9	D37.Ø39	D49.Ø
sublingual	CØ8.1	C79.89	DØØ.ØØ	D11.7	D37.Ø31	D49.Ø
submandibular	CØ8.Ø	C79.89	DØØ.ØØ	D11.7	D37.Ø32	D49.Ø
submaxillary	CØ8.Ø	C79.89	DØØ.ØØ	D11.7	D37.Ø32	D49.Ø
salpinx (uterine)	C57.Ø-	C79.82	DØ7.39	D28.2	D39.8	D49.5
Santorini's duct	C25.3	C78.89	DØ1.7	D13.6	D37.8	D49.Ø
scalp	C44.4Ø▲	C79.2	DØ4.4	D23.4	D48.5	D49.2
basal cell carcinoma●	C44.41	-	-	-	-	-
specified type NEC•	C44.49	-	-	-	-	-
squamous cell						
carcinoma	C44.42	-	-	-	-	-
scapula (any part)	C4Ø.Ø-	C79.51	-	D16.Ø-	-	-
scapular region	C76.1	C79.89	DØ9.8	D36.7	D48.7	D49.89
scar NEC – see also						
Neoplasm, skin, by	C44.9Ø▲	C79.2	DØ4.9	D23.9	D48.5	D49.2
site ▲						
sciatic nerve	C47.2-	C79.89	-	D36.13	D48.2	D49.2
sclera	C69.4-	C79.49	DØ9.2-	D31.4-	D48.7	D49.89
scrotum (skin)	C63.2	C79.82	DØ7.61	D29.4	D4Ø.8	D49.5
sebaceous gland – see	200.2					
Neoplasm, skin						

R62.52 constitutional E34.3

Shaver's disease J63.1

Sheath (tendon) - see condition

Serology for syphilis	Sheathing, retinal vessels H35.01	Shock – continued
doubtful	Shedding	following
with signs or symptoms – code by site and stage under Syphilis	nail L60.8 premature, primary (deciduous)teeth K00.6	ectopic or molar pregnancy 008.3 injury (immediate) (delayed) T79.4
follow-up of latent syphilis – see Syphilis, latent	Sheehan's disease or syndrome E23.0	labor and delivery 075.1
negative, with signs or symptoms code by site	Shelf, rectal K62.89	food (anaphylactic) - see Shock, anaphylactic,
and stage under Syphilis positive A53.0	Shell teeth K00.5	due to food from electroshock gun (taser) T75.4
with signs or symptoms – code by site and	Shellshock (current) F43.0	gram-negative R65.21
stage under Syphilis	lasting state – see Disorder, post-traumatic stress	postprocedural (during or resulting from a
reactivated A53.0 Seroma – see also Hematoma	Shield kidney Q63.1	procedure, not elsewhere classified) T81.12
traumatic, secondary and recurrent T79.2	Shift	hematologic R57.8
Seropurulent - see condition	auditory threshold (temporary) H93.24-	hemorrhagic
Serositis, multiple K65.8	mediastinal R93.8	surgery (intraoperative) (postoperative) T81.19 trauma T79.4
pericardial I31.1 peritoneal K65.8	Shifting sleep-work schedule (affecting sleep) G47.26	hypovolemic R57.1
Serous – see condition	Shiga (-Kruse) dysentery A03.0	surgical T81.19
Sertoli cell	Shiga's bacillus A03.0	traumatic T79.4 insulin E15
adenoma	Shigella (dysentery) – <i>see</i> Dysentery, bacillary	therapeutic misadventure – see subcategory
specified site – <i>see</i> Neoplasm, benign, by site unspecified site	Shigellosis A03.9 Group A A03.0	T38.3
female D27.9	Group B A03.1	kidney N17.0 traumatic (following crushing) T79.5
male D29.20	Group C A03.2	lightning T75.01
carcinoma specified site – <i>see</i> Neoplasm, malignant, by	Group D A03.3	lung J80 obstetric 075.1
site	Shin splints T79.6 Shingles – see Herpes, zoster	with ectopic or molar pregnancy 008.3
unspecified site (male) C62.9-	Shipyard disease or eye B30.0	following ectopic or molar pregnancy 008.3
female C56.9 tumor	Shirodkar suture, in pregnancy – see Pregnancy,	pleural (surgical) T81.19
with lipid storage	complicated by, incompetent cervix	due to trauma T79.4 postprocedural (postoperative) T81.10
specified site – <i>see</i> Neoplasm, benign, by	Shock R57.9	with ectopic or molar pregnancy 008.3
site unspecified site	with ectopic or molar pregnancy 008.3 adrenal (cortical) (Addisonian) E27.2	cardiogenic T81.11 endotoxic T81.12
female D27.9	adverse food reaction (anaphylactic) – see	following ectopic or molar pregnancy 008.3
male D29.20	Shock, anaphylactic, due to food	gram-negative T81.12
specified site – <i>see</i> Neoplasm, benign, by site unspecified site	allergic – see Shock, anaphylactic anaphylactic T78.2	hypovolemic T81.19 septic T81.12
female D27.9	chemical – see Table of drugs and chemicals	specified type NEC T81.19
male D29.20	due to drug or medicinal substance	psychic F43.0
Sertoli-Leydig cell tumor – see Neoplasm, benign, by site	correct substance properly administered T88.6	septic (due to severe sepsis) R65.21 specified NEC R57.8
specified site – see Neoplasm, benign, by site	overdose or wrong substance given or taken	surgical T81.10
unspecified site	(by accident) – see Table of drugs and chemicals, by drug, poisoning	taser gun (taser) T75.4
female D27.9 male D29.20	due to food (nonpoisonous) T78.00	therapeutic misadventure NEC T81.10 thyroxin
Serum	additives T78.06	overdose or wrong substance given or taken
allergy, allergic reaction (see also Reaction,	dairy products T78.07 eggs T78.08	- see Table of drugs and chemicals, by
serum) T80.69 shock (<i>see also</i> Shock, anaphylactic) T80.59	fish T78.03	drug, poisoning toxic, syndrome A48.3
arthritis (see also Reaction, serum) T80.69	shellfish T78.02	transfusion – see Complications, transfusion
complication or reaction NEC (see also Reaction,	fruit T78.04 milk T78.07	traumatic (immediate) (delayed) T79.4
serum) T80.69 disease NEC (see also Reaction, serum) T80.69	nuts T78.05	Shoemaker's chest M95.4 Short, shortening, shortness
hepatitis – see also Hepatitis, viral, type B	peanuts T78.01	arm (acquired) – see also Deformity, limb,
carrier (suspected) of Z22.51 intoxication (see also Reaction, serum) T80.69	peanuts T78.01 seeds T78.05	unequal length
neuritis (see also Reaction, serum) T80.69	specified type NEC T78.09	congenital Q71.81- forearm – see Deformity, limb, unequal length
neuropathy G61.1	vegetable T78.04 following sting(s) – <i>see</i> Venom	bowel syndrome K91.2
poisoning NEC (see also Reaction, serum) T80.69 rash NEC (see also Reaction, serum) T80.69	immunization T80.52	breath R06.02
reaction NEC (see also Reaction, serum) T80.69	serum T80.59	cervical (complicating pregnancy) 026.87- non-gravid uterus N88.3
sickness NEC (see also Reaction, serum) T80.69	blood and blood products T80.51 immunization T80.52	common bile duct, congenital Q44.5
urticaria (see also Reaction, serum) T80.69 Sesamoiditis – see Osteomyelitis, specified type NEC	specified NEC T80.59	cord (umbilical), complicating delivery 069.3 cystic duct, congenital Q44.5
Sever's disease or osteochondrosis – see	vaccination T80.52	esophagus (congenital) Q39.8
Osteochondrosis, juvenile, tarsus	anaphylactoid – <i>see</i> Shock, anaphylactic anesthetic	femur (acquired) – see Deformity, limb, unequal
Severe sepsis R65.20	correct substance properly administered T88.2	length, femur congenital – see Defect, reduction, lower limb,
with septic shock R65.21 Sex	overdose or wrong substance given or taken – see Table of drugs and chemicals, by	longitudinal, femur
chromosome mosaics 097.8	drug, poisoning	frenum, frenulum, linguae (congenital) Q38.1
lines with various numbers of X chromosomes	specified anesthetic – see Table of drugs and	hip (acquired) – see also Deformity, limb, unequal length
Q97.2 education Z 70.8	chemicals, by drug, poisoning cardiogenic R57.0	congenital Q65.89
reassignment surgery status Z87.890	chemical substance – see Table of drugs and	leg (acquired) – see also Deformity, limb, unequal
Sextuplet pregnancy – see Pregnancy, sextuplet	chemicals	length congenital Q72.81-
Sexual	complicating ectopic or molar pregnancy 008.3 culture – see Disorder, adjustment	lower leg – see also Deformity, limb, unequal
function, disorder of (psychogenic) F52.9 immaturity (female) (male) E30.0	drug	length limbed stature, with immunodeficiency D82.2
impotence (psychogenic)organic origin NEC – see	due to correct substance properly administered	lower limb (acquired) – see also Deformity, limb,
Dysfunction, sexual, male	T88.6 overdose or wrong substance given or taken	unequal length
precocity (constitutional) (cryptogenic)(female) (idiopathic) (male) E30.1	(by accident) – see Table of drugs and	congenital Q72.81- organ or site, congenital NEC – see Distortion
Sexuality, pathologic – see Deviation, sexual	chemicals, by drug, poisoning during or after labor and delivery 075.1	palate, congenital Q38.5
Sézary disease C84.1-	electric T75.4	radius (acquired) – see also Deformity, limb,
Shadow, lung R91.8	(taser) T75.4	unequal length congenital – see Defect, reduction, upper limb,
Shaking palsy or paralysis – see Parkinsonism Shallowness, acetabulum – see Derangement, joint,	endotoxic R65.21 postprocedural (during or resulting from a	longitudinal, radius
specified type NEC, hip	procedure, not elsewhere classified)	rib syndrome Q77.2 stature (child) (hereditary) (idiopathic) NEC
Chaver's disease IG2 1	T81.12	DCO FO

306 — Volume 2 2012 Draft | ICD-10-CM

Substance	Poisoning, Accidental (unintentional)	Poisoning, Intentional Self-harm	Poisoning, Assault	Poisoning, Undetermined	Adverse Effect	Underdosing
Ciguatoxin	T61.01	T61.02	T61.03	T61.04	- 4 III	_
	T46.4x1	T46.4x2	T46.4x3	T46.4x4	T46.4x5	T46.4x6
	T47.0x1	T47.0x2	T47.0x3	T47.0x4	T47.0x5	T47.0x6
	T44.3x1	T44.3x2	T44.3x3	T44.3x4	T44.3x5	T44.3x6
	T41.3x1	T41.3x2	T41.3x3	T41.3x4	T41.3x5	T41.3x6
	T41.3x1	T41.3x2	T41.3x3	T41.3x4	T41.3x5	T41.3x6
	T37.2x1	T37.2x2 T37.2x2	T37.2x3	T37.2x4	T37.2x5	T37.2x6
	T50.4x1	T50.4x2	T50.4x3	T50.4x4	T50.4x5	T50.4x6
	T46.7x1	T46.7x2	T46.7x3	T46.7x4	T46.7x5	T46.7x6
	T48.5x1	T48.5x2	T48.5x3	T48.5x4	T48.5x5	T48.5x6
	T45.0x1	T45.0x2	T45.0x3	T45.0x4	T45.0x5	T45.0x6
	T37.8x1	T37.8x2	T37.8x3	T37.8x4	T37.8x5	T37.8x6
	T46.6x1	T46.6x2	T46.6x3	T46.6x4	T46.6x5	T46.6x6
	T36.8x1	T36.8x2	T36.8x3	T36.8x4	T36.8x5	T36.8x6
	T47.8x1 T45.1x1	T47.8x2 T45.1x2	T47.8x3 T45.1x3	T47.8x4 T45.1x4	T47.8x5	T47.8x6
	T43.221	T43.222	T43.223	T43.224	T43.225	T43.226
	T41.3x1	T41.3x2	T41.3x3	T41.3x4	T41.3x5	T41.3x6
infiltration	T41.3x1	T41.3x2	T41.3x3	T41.3x4	T41.3x5	T41.3x6
nerve block (peripheral) (plexus)	T41.3x1	T41.3x2	T41.3x3	T41.3x4	T41.3x5	T41.3x6
	T47.5x1	T47.5x2	T47.5x3	T47.5x4	T47.5x5	T47.5x6
,	T45.8x1	T45.8x2	T45.8x3	T45.8x4	T45.8x5	T45.8x6
	T62.2x1	T62.2x2	T62.2x3	T62.2x4	T26 1vF	T26 10
Cleaner cleansing agent	T36.1x1	T36.1x2	T36.1x3	T36.1x4	T36.1x5	T36.1x6
Cleaner, cleansing agent, type not specified of paint or varnish	T65.891 T52.91	T65.892 T52.92	T65.893	T65.894 T52.94	-	-
	T65.891	T65.892	T65.893	T65.894	_	_
	T47.8x1	T47.8x2	T47.8x3	T47.8x4	T47.8x5	T47.8x6
	T37.3x1	T37.3x2	T37.3x3	T37.3x4	T37.3x5	T37.3x6
Clemastine	T45.0x1	T45.0x2	T45.0x3	T45.0x4	T45.0x5	T45.0x6
	T62.2x1	T62.2x2	T62.2x3	T62.2x4	-	-
	T45.0x1	T45.0x2	T45.0x3	T45.0x4	T45.0x5	T45.0x6
	T36.0x1	T36.0x2	T36.0x3	T36.0x4	T36.0x5	T36.0x6
	T48.6x1	T48.6x2	T48.6x3	T48.6x4	T48.6x5	T48.6x6
	T44.3x1 T36.8x1	T44.3x2 T36.8x2	T44.3x3 T36.8x3	T44.3x4 T36.8x4	T44.3x5 T36.8x5	T44.3x6 T36.8x6
	T46.6x1	T46.6x2	T46.6x3	T46.6x4	T46.6x5	T46.6x6
	T37.8x1	T37.8x2	T37.8x3	T37.8x4	T37.8x5	T37.8x6
	T40.2x1	T40.2x2	T40.2x3	T40.2x4	-	-
Clobazam	T42.4x1	T42.4x2	T42.4x3	T42.4x4	T42.4x5	T42.4x6
	T50.5x1	T50.5x2	T50.5x3	T50.5x4	T50.5x5	T50.5x6
	T49.0x1	T49.0x2	T49.0x3	T49.0x4	T49.0x5	T49.0x6
	T49.0x1	T49.0x2	T49.0x3	T49.0x4	T49.0x5	T49.0x6
	T48.3x1	T48.3x2	T48.3x3	T48.3x4	T48.3x5	T48.3x6
Clocortolone Clodantoin	T38.0x1 T49.0x1	T38.0x2 T49.0x2	T38.0x3 T49.0x3	T38.0x4 T49.0x4	T38.0x5	T38.0x6
	T50.991	T50.992	T50.993	T50.994	T50.995	T50.996
	T37.1x1	T37.1x2	T37.1x3	T37.1x4	T37.1x5	T37.1x6
	T48.3x1	T48.3x2	T48.3x3	T48.3x4	T48.3x5	T48.3x6
Clofenamide	T50.2x1	T50.2x2	T50.2x3	T50.2x4	T50.2x5	T50.2x6
	T49.0x1	T49.0x2	T49.0x3	T49.0x4	T49.0x5	T49.0x6
	T39.2x1	T39.2x2	T39.2x3	T39.2x4	T39.2x5	T39.2x6
	T46.6x1	T46.6x2	T46.6x3	T46.6x4	T46.6x5	T46.6x6
	T46.6x1	T46.6x2	T46.6x3	T46.6x4	T46.6x5	T46.6x6
	T50.5x1 T42.6x1	T50.5x2 T42.6x2	T50.5x3 T42.6x3	T50.5x4 T42.6x4	T50.5x5 T42.6x5	T50.5x6 T42.6x6
	T36.0x1	T36.0x2	T36.0x3	T36.0x4	T36.0x5	T36.0x6
	T38.5x1	T38.5x2	T38.5x3	T38.5x4	T38.5x5	T38.5x6
	T38.5x1	T38.5x2	T38.5x3	T38.5x4	T38.5x5	T38.5x6
	T43.011	T43.012	T43.013	T43.014	T43.015	T43.016
	T36.4x1	T36.4x2	T36.4x3	T36.4x4	T36.4x5	T36.4x6
Clonazepam	T42.4x1	T42.4x2	T42.4x3	T42.4x4	T42.4x5	T42.4x6
	T46.5x1 T39.8x1	T46.5x2 T39.8x2	T46.5x3 T39.8x3	T46.5x4 T39.8x4	T46.5x5 T39.8x5	T46.5x6 T39.8x6
	T50.2x1	T50.2x2	T50.2x3	T50.2x4	T50.2x5	T50.2x6
	T43.4x1	T43.4x2	T43.4x3	T43.4x4	T43.4x5	T43.4x6
	T48.3x1	T48.3x2	T48.3x3	T48.3x4	T48.3x5	T48.3x6
Clophedianol	T48.3x1	T48.3x2	T48.3x3	T48.3x4	T48.3x5	T48.3x6
	T36.2x1	T36.2x2	T36.2x3	T36.2x4	T36.2x5	T36.2x6
	T38.0x1	T38.0x2	T38.0x3	T38.0x4	T38.0x5	T38.0x6
Cloral betaine	T42.6x1	T42.6x2	T42.6x3	T42.6x4	T42.6x5	T42.6x6
	T36.2x1	T36.2x2	T36.2x3	T36.2x4	T36.2x5	T36.2x6
Cloramfenicol	T40 .		T42.4x3	T42.4x4	T42.4x5	T42.4x6
Cloramfenicol Clorazepate (dipotassium)	T42.4x1	T42.4x2				
Cloramfenicol Clorazepate (dipotassium) Clorexolone	T50.2x1	T50.2x2	T50.2x3	T50.2x4	T50.2x5	T50.2x6
Cloramfenicol Clorazepate (dipotassium) Clorexolone Clorox (bleach)						

	nal)			ped		0.0
Substance	Poisoning, Accidental (unintentional)	Poisoning, Intentional Self-harm	Poisoning, Assault	Poisoning, Undetermined	erse ct	Underdosing
Substance	ois Acci	ois nter	Poisonir Assault	ois	Adverse Effect) nde
Clorotepine	T44.3x1	T44.3x2	T44.3x3	T44.3x4	T44.3x5	T44.3x6
Clorprenaline	T48.6x1	T48.6x2	T48.6x3	T48.6x4	T48.6x5	T48.6x6
Clortermine	T50.5x1	T50.5x2	T50.5x3	T50.5x4	T50.5x5	T50.5x6
Clotiapine Clotiazepam	T43.591 T42.4x1	T43.592 T42.4x2	T43.593 T42.4x3	T43.594 T42.4x4	T43.595	T43.596 T42.4x6
Clotibric acid	T46.6x1	T46.6x2	T46.6x3	T46.6x4	T46.6x5	T46.6x6
Clotrimazole	T49.0x1	T49.0x2	T49.0x3	T49.0x4	T49.0x5	T49.0x6
Cloxacillin	T36.0x1	T36.0x2	T36.0x3	T36.0x4	T36.0x5	T36.0x6
Cloxazolam	T42.4x1	T42.4x2	T42.4x3	T42.4x4	T42.4x5	T42.4x6
Cloxiquine Clozapine	T49.0x1 T42.4x1	T49.0x2	T49.0x3	T49.0x4	T49.0x5	T49.0x6
Coagulant NEC	T45.7x1	T45.7x2	T45.7x3	T45.7x4	T45.7x5	T45.7x6
Coal (carbon monoxide from) – <i>see also</i> Carbon, monoxide,	T58.2x1	T58.2x2	T58.2x3	T58.2x4	-	-
coal						
oil – see Kerosene tar	T49.1x1	T49.1x2	T49.1x3	T49.1x4	T49.1x5	T49.1x6
fumes	T59.891	T59.892	T59.893	T59.894	-	-
medicinal (ointment)	T49.4x1	T49.4x2	T49.4x3	T49.4x4	T49.4x5	T49.4x6
analgesics NEC naphtha (solvent)	T39.2x1 T52.0x1	T39.2x2 T52.0x2	T39.2x3 T52.0x3	T39.2x4 T52.0x4	T39.2x5	T39.2x6
Cobalamine (Solvent)	T45.2x1	T45.2x2	T45.2x3	T45.2x4	T45.2x5	T45.2x6
Cobalt (nonmedicinal) (fumes) (industrial)	T56.891	T56.892	T56.893	T56.894	-	-
medicinal (trace) (chloride)	T45.8x1	T45.8x2	T45.8x3	T45.8x4	T45.8x5	T45.8x6
Cobra (venom)	T63.041	T63.042	T63.043	T63.044	-	-
Coca (leaf)	T40.5x1	T40.5x2	T40.5x3	T40.5x4	T40.5x5	T40.5x6
Cocaine	T40.5x1	T40.5x2	T40.5x3	T40.5x4	T40.5x5	T40.5x6
topical anesthetic Cocarboxylase	T41.3x1 T45.3x1	T45.3x2	T45.3x3	T41.3x4 T45.3x4	T45.3x5	T41.3x6 T45.3x6
Coccidioidin	T50.8x1	T50.8x2	T50.8x3	T50.8x4	T50.8x5	T50.8x6
Cocculus indicus	T62.1x1	T62.1x2	T62.1x3	T62.1x4	-	-
Cochineal	T65.6x1	T65.6x2	T65.6x3	T65.6x4	-	-
medicinal products	T50.991	T50.992	T50.993	T50.994	T50.995	T50.996
Codeine	T40.2x1	T40.2x2	T40.2x3	T40.2x4	T40.2x5	T40.2x6
Cod-liver oil Coenzyme A	T45.2x1 T50.991	T45.2x2 T50.992	T45.2x3 T50.993	T45.2x4 T50.994	T45.2x5 T50.995	T45.2x6 T50.996
Coffee	T62.8x1	T62.8x2	T62.8x3	T62.8x4	-	-
Cogalactoiso-merase	T50.991	T50.992	T50.993	T50.994	T50.995	T50.996
Cogentin	T44.3x1	T44.3x2	T44.3x3	T44.3x4	T44.3x5	T44.3x6
Coke fumes or gas (carbon monoxide) industrial use	T58.2x1 T58.8x1	T58.2x2 T58.8x2	T58.2x3 T58.8x3	T58.2x4 T58.8x4	-	-
Colace	T47.4x1	T47.4x2	T47.4x3	T47.4x4	T47.4x5	T47.4x6
Colaspase	T45.1x1	T45.1x2	T45.1x3	T45.1x4	T45.1x5	T45.1x6
Colchicine	T50.4x1	T50.4x2	T50.4x3	T50.4x4	T50.4x5	T50.4x6
Colchicum	T62.2x1	T62.2x2	T62.2x3	T62.2x4	-	-
Cold cream	T49.3x1	T49.3x2 T45.2x2	T49.3x3	T49.3x4	T49.3x5	T49.3x6
Colecalciferol Colestipol	T45.2x1 T46.6x1	T46.6x2	T45.2x3 T46.6x3	T45.2x4 T46.6x4	T45.2x5 T46.6x5	T45.2x6 T46.6x6
Colestyramine	T46.6x1	T46.6x2	T46.6x3	T46.6x4	T46.6x5	T46.6x6
Colimycin	T36.8x1	T36.8x2	T36.8x3	T36.8x4	T36.8x5	T36.8x6
Colistimethate	T36.8x1	T36.8x2	T36.8x3	T36.8x4	T36.8x5	T36.8x6
Colistin sulfate (eye preparation)	T36.8x1 T49.5x1	T36.8x2 T49.5x2	T36.8x3 T49.5x3	T36.8x4 T49.5x4	T36.8x5 T49.5x5	T36.8x6 T49.5x6
Collagen	T50.991	T50.992	T50.993	T50.994	T50.995	T50.996
Collagenase	T49.4x1	T49.4x2	T49.4x3	T49.4x4	T49.4x5	T49.4x6
Collodion	T49.3x1	T49.3x2	T49.3x3	T49.3x4	T49.3x5	T49.3x6
Colocynth	T47.2x1	T47.2x2	T47.2x3	T47.2x4	T47.2x5	T47.2x6
Colophony adhesive	T49.3x1 T50.991	T49.3x2	T49.3x3	T49.3x4	T49.3x5	T49.3x6
Coloring matter – see	150.991	T50.992	T50.993	T50.994	T50.995	T50.996
Dye(s) Combustion gas (after combustion) – see Carbon, monoxide						
prior to combustion	T59.891	T59.892	T59.893	T59.894	-	-
Compazine	T43.3x1	T43.3x2	T43.3x3	T43.3x4	T43.3x5	T43.3x6
Compound	T00 ()	T00 / 7	T00.4.5	T00 / /		
269 (endrin)	T60.1x1	T60.1x2	T60.1x3	T60.1x4	-	-
497 (dieldrin) 1080 (sodium	T60.1x1	T60.1x2			_	
fluoroacetate)	T60.4x1	T60.4x2	T60.4x3	T60.4x4	-	-
3422 (parathion)	T60.0x1	T60.0x2	T60.0x3	T60.0x4	-	-
3911 (phorate)	T60.0x1	T60.0x2	T60.0x3	T60.0x4	-	-
3956 (toxaphene) 4049 (malathion)	T60.1x1	T60.1x2 T60.0x2	T60.1x3	T60.1x4 T60.0x4	-	-
4069 (malathion)	T60.0x1	T60.0x2	T60.0x3	T60.0x4	_	-
4124 (dicapthon)	T60.0x1	T60.0x2	T60.0x3	T60.0x4	-	-
E (cortisone)	T38.0x1	T38.0x2	T38.0x3	T38.0x4	T38.0x5	T38.0x6
F (hydrocortisone)	T38.0x1	T38.0x2	T38.0x3	T38.0x4	T38.0x5	T38.0x6

ICD-10-CM | 2012 Draft Volume 2 — 359

osure – continued	Exposure – continued	Failure – continued
fire, flames – continued	fire, flames – continued	sterile precautions (during medical and surgical care)
controlled – continued building or structure – continued	uncontrolled – <i>continued</i> in building or structure – <i>continued</i>	– see Misadventure, failure, sterile precautions,
specified mode of injury NEC XØ2.8	hit by object from building XØØ.4	by type of procedure to
fireplace, furnace or stove – see Exposure, fire,	sofa XØ8.1Ø	introduce tube or instrument Y65.4
controlled, building	due to	endotracheal tube during anesthesia Y65.3
not in building or structure XØ3.Ø	cigarette XØ8.11	make curve (transport vehicle) NEC – see Accident,
with fall XØ3.3	specified material NEC XØ8.19 specified mode of injury NEC XØØ.8	transport remove tube or instrument Y65.4
smoke inhalation XØ3.1	not in building or structure (any) XØ1.Ø	Fall, falling (accidental) W19
hit by object XØ3.4	with	building W20.1
specified mode of injury NEC XØ3.8	fall XØ1.3	burning (uncontrolled fire) XØØ.3
trash – see Exposure, fire, controlled, not in building fireplace – see Exposure, fire, controlled, building	smoke inhalation XØ1.1 hit by object XØ1.4	down
fittings or furniture (in building or structure)	specified mode of injury NEC XØ1.8	embankment W17.81 escalator W10.0
(uncontrolled) – see Exposure, fire,	undetermined whether accidental or intentional Y26	hill W17.81
uncontrolled, building	forces of nature NEC – see Forces of nature	ladder W11
forest (uncontrolled) – <i>see</i> Exposure, fire, uncontrolled, not in building	G-forces (abnormal) W49.9 gravitational forces (abnormal) W49.9	ramp W10.2
grass (uncontrolled) – see Exposure, fire,	heat (natural) NEC – see Heat	stairs, steps W10.9 due to
uncontrolled, not in building	high-pressure jet (hydraulic) (pneumatic) W49.9	bumping against
hay (uncontrolled) – see Exposure, fire,	hydraulic jet W49.9	object W18.00
uncontrolled, not in building homicide (attempt) X97	inanimate mechanical force W49.9 jet, high-pressure (hydraulic) (pneumatic) W49.9	sharp glass W18.02
ignition of highly flammable material XØ4	lightning – see subcategory T75.0	specified NEC W18.09 sports equipment W18.01
in, of, on, starting in	causing fire – see Exposure, fire	person WØ3
machinery – see Contact, with, by type of machine	mechanical forces NEC W49.9 animate NEC W64	due to ice or snow WØØ.Ø
machine motor vehicle (in motion) (<i>see also</i> Accident,	inanimate NEC W49.9	on pedestrian conveyance – see Accident,
transport, occupant by type of vehicle) V87.8	noise W42.9	transport, pedestrian, conveyance collision with another person WØ3
with collision - see Collision	supersonic W42.0	due to ice or snow WØØ.Ø
railway rolling stock, train, vehicle V81.81	noxious substance – <i>see</i> Table of drugs and chemical	involving pedestrian conveyance – see Accident,
with collision – see Accident, transport, railway vehicle occupant	pneumatic jet W49.9 prolonged in deep-freeze unit or refrigerator W93.2	transport, pedestrian, conveyance
street car (in motion) V82.8	radiation – see Radiation	grocery cart tipping over W17.82 ice or snow WØØ.9
with collision – see Accident, transport,	smoke – <i>see also</i> Exposure, fire	from one level to another WØØ.2
streetcar occupant	tobacco, second hand Z77.22	on stairs or steps WØØ.1
transport vehicle NEC – see also Accident, transport	specified factors NEC X58 sunlight X32	involving pedestrian conveyance – see Accident,
with collision – <i>see</i> Collision war operations – <i>see also</i> War operations, fire	man-made (sun lamp) W89.8	transport, pedestrian, conveyance on same level WØØ.Ø
from nuclear explosion – see War operations,	tanning bed W89.1	slipping (on moving sidewalk) WØ1.Ø
nuclear weapons	supersonic waves W42.Ø	with subsequent striking against object WØ1.10
watercraft (in transit) (not in transit) V91.09	transmission line(s), electric W85 vibration W49.9	furniture WØ1.19Ø
localized – see Burn, on board watercraft, due to, fire on board	waves	sharp object WØ1.119 glass WØ1.11Ø
powered craft V91.03	infrasound W49.9	power tool or machine WØ1.111
ferry boat V91.Ø1	sound W42.9	specified NEC WØ1.118
fishing boat V91.02	supersonic W42.Ø weather NEC – <i>see</i> Forces of nature	specified NEC WØ1.198
jet skis V91.03 liner V91.01	External cause status Y99.9	striking against object W18.00
merchant ship V91.00	child assisting in compensated work for family Y99.8	sharp glass W18.02
passenger ship V91.Ø1	civilian activity done for financial or other	specified NEC W18.09
unpowered craft V91.08 canoe V91.05	compensation Y99.0	sports equipment W18.Ø1
inflatable V91.06	civilian activity done for income or pay Y99.0 family member assisting in compensated work for	person WØ3 due to ice or snow WØØ.Ø
kayak V91.05	other family member Y99.8	on pedestrian conveyance – see Accident,
sailboat V91.04	hobby not done for income Y99.8	transport, pedestrian, conveyance
surf-board V91.08 waterskis V91.07	leisure activity Y99.8	earth (with asphyxia or suffocation (by pressure)) –
windsurfer V91.08	off-duty activity 199.1 off-duty activity of military personnel 199.8	see Earth, falling from, off, out of
lumber (uncontrolled) – see Exposure, fire,	recreation or sport not for income or while a student	aircraft NEC (with accident to aircraft NEC) V97.Ø
uncontrolled, not in building	Y99.8	while boarding or alighting V97.1
mine (uncontrolled) – see Exposure, fire, uncontrolled, not in building	specified NEC Y99.8 student activity Y99.8	balcony W13.Ø
prairie (uncontrolled) – see Exposure, fire,	volunteer activity Y99.2	bed WØ6 boat, ship, watercraft NEC (with drowning or
uncontrolled, not in building	volunteer dearnly 17512	submersion) – see Drowning, due to, fall
resulting from	<u>_</u>	overboard
explosion – <i>see</i> Explosion lightning XØ8.8	F	with hitting bottom or object V94.0
self-inflicted X76		bridge W13.1 building W13.9
specified NEC XØ8.8	Factors, supplemental	burning (uncontrolled fire) X00.3
started by other person X97	alcohol	cavity W17.2
stove – see Exposure, fire, controlled, building stated as undetermined whether accidental or	blood level less than 20mg/100ml Y90.0	chair WØ7
intentional Y26	presence in blood, level not specified Y90.9	cherry picker W17.89 cliff W15
suicide (attempt) X76	20-39mg/100ml Y90.1	dock W17.4
tunnel (uncontrolled) – see Exposure, fire,	4Ø-59mg/1ØØml Y9Ø.2	embankment W17.81
uncontrolled, not in building uncontrolled	60-79mg/100ml Y90.3 80-99mg/100ml Y90.4	escalator W10.0
in building or structure XØØ.Ø	4.00-119mg/100ml Y90.5	flagpole W13.8 furniture NEC WØ8
with	120-199mg/100ml Y90.6	grocery cart W17.82
fall from building XØØ.3	200-239mg/100ml Y90.7	haystack W17.89
injury due to building collapse X00.2 jump from building X00.5	240mg/100ml or more Y90.8 presence in blood, but level not specified Y90.9	high place NEC W17.89
smoke inhalation X00.1	environmental-pollution-related condition – see Z57	stated as undetermined whether accidental or intentional Y30
bed X08.00	nosocomial condition Y95	hole W17.2
due to	work-related condition Y99.0	incline W10.2
cigarette XØ8.Ø1 specified material NEC XØ8.Ø9	Failure	ladder W11
furniture NEC XØ8.2Ø	in suture or ligature during surgical procedure Y65.2 mechanical, of instrument or apparatus (any) (during	lifting device W17.89 machine, machinery – <i>see also</i> Contact, with, by
due to	any medical or surgical procedure) Y65.8	type of machine
cigarette XØ8.21	,	not in operation W17.89
specified material NEC XØ8.29	l l	manhole W17.1

416 — Volume 2 2012 Draft | ICD-10-CM

C24.1 – C34.90

C24.1 Malignant neoplasm of ampulla of Vater

C24.8 Malignant neoplasm of overlapping sites of biliary tract

Malignant neoplasm involving both intrahepatic and extrahepatic bile

Primary malignant neoplasm of two or more contiguous sites of biliary tract

C24.9 Malignant neoplasm of biliary tract, unspecified

C25 Malignant neoplasm of pancreas

Use additional code to identify

alcohol abuse and dependence (F1Ø.-)

- C25.Ø Malignant neoplasm of head of pancreas
- C25.1 Malignant neoplasm of body of pancreas
- C25.2 Malignant neoplasm of tail of pan^ncreas
- C25.3 Malignant neoplasm of pancreatic duct

C25.4 Malignant neoplasm of endocrine pancreas Malignant neoplasm of islets of Langerhans Use additional code to identify any functional activity.

- C25.7 Malignant neoplasm of other parts of pancreas
 - Malignant neoplasm of neck of pancreas
- C25.8 Malignant neoplasm of overlapping sites of pancreas
- C25.9 Malignant neoplasm of pancreas, unspecified

C26 Malignant neoplasm of other and ill-defined digestive organs

Excludes 1 malignant neoplasm of peritoneum and retroperitoneum (C48.-)

C26.Ø Malignant neoplasm of intestinal tract, part unspecified

Malignant neoplasm of intestine NOS

C26.1 Malignant neoplasm of spleen

Excludes 1 Hodgkin's disease (C81.-)

non-Hodgkin lymphoma (C82-C85)

C26.9 Malignant neoplasm of ill-defined sites within the digestive system

Malignant neoplasm of alimentary canal or tract NOS Malignant neoplasm of gastrointestinal tract NOS

Excludes 1 malignant neoplasm of abdominal NOS (C76.2)

malignant neoplasm of intra-abdominal NOS (C76.2)

MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (C3Ø-C39)

malignant neoplasm of middle ear

Excludes 1 mesothelioma (C45.-)

C3Ø Malignant neoplasm of nasal cavity and middle ear

C3Ø.Ø Malignant neoplasm of nasal cavity

Malignant neoplasm of cartilage of nose Malignant neoplasm of nasal concha Malignant neoplasm of internal nose Malignant neoplasm of septum of nose

Malignant neoplasm of vestibule of nose

Excludes 1 malignant neoplasm of nasal bone (C41.Ø) malignant neoplasm of nose NOS (C76.Ø) malignant neoplasm of olfactory bulb (C72.2-)

malignant neoplasm of posterior margin of nasal septum and

choana (C11.3)

malignant melanoma of skin of nose (C43.31) malignant neoplasm of turbinates (C41.Ø)

other and unspecified malignant neoplasm of skin of nose C44.3Ø1, C44.311, C44.321, C44.391

C3Ø.1 Malignant neoplasm of middle ear

Malignant neoplasm of antrum tympanicum Malignant neoplasm of auditory tube Malignant neoplasm of Eustachian tube Malignant neoplasm of inner ear

Malignant neoplasm of mastoid air cells

Malignant neoplasm of tympanic cavity

Excludes 1 malignant neoplasm of auricular canal (external) (C43.2-C44.2-) malignant neoplasm of bone of ear (meatus) (C41.Ø) malignant neoplasm of cartilage of ear (C49.Ø) malianant melanoma of skin of (external) ear (C43.2-) other and unspecified malignant neoplasm of skin of (external) ear (C44.2-)

C31 Malignant neoplasm of accessory sinuses

C31.Ø Malignant neoplasm of maxillary sinus

Malignant neoplasm of antrum (Highmore) (maxillary)

- C31.1 Malignant neoplasm of ethmoidal sinus
- C31.2 Malignant neoplasm of frontal sinus
- C31.3 Malignant neoplasm of sphenoid sinus
- C31.8 Malignant neoplasm of overlapping sites of accessory sinuses
- C31.9 Malignant neoplasm of accessory sinus, unspecified

C32 Malignant neoplasm of larynx

Use additional code to identify

alcohol abuse and dependence (F1Ø.-)

exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81)

history of tobacco use (Z87.891)

occupational exposure to environmental tobacco smoke (Z57.31)

tobacco dependence (F17.-) tobacco use (Z72.Ø)

C32.Ø Malignant neoplasm of glottis

Malignant neoplasm of intrinsic larynx

Malignant neoplasm of laryngeal commissure (anterior)(posterior)

Malignant neoplasm of vocal cord (true) NOS

C32.1 Malignant neoplasm of supraglottis

Malignant neoplasm of aryepiglottic fold or interarytenoid fold, laryngeal aspect

Malignant neoplasm of epiglottis (suprahyoid portion) NOS

Malignant neoplasm of extrinsic larynx

Malignant neoplasm of false vocal cord

Malignant neoplasm of posterior (laryngeal) surface of epiglottis

Malignant neoplasm of ventricular bands

Excludes2 malignant neoplasm of anterior surface of epiglottis (C10.1) malignant neoplasm of aryepiglottic fold or interarytenoid fold: NOS (C13.1)

> hypopharyngeal aspect (C13.1) marginal zone (C13.1)

- C32.2 Malignant neoplasm of subglottis
- C32.3 Malignant neoplasm of laryngeal cartilage
- Malignant neoplasm of overlapping sites of larynx
- Malignant neoplasm of larynx, unspecified C32.9

C33 Malignant neoplasm of trachea

Use additional code to identify:

exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891)

occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)

C34 Malignant neoplasm of bronchus and lung

Use additional code to identify.

exposure to environmental tobacco smoke (Z58.7)

exposure to tobacco smoke in the perinatal period (P96.81)

history of tobacco use (Z87.82)

occupational exposure to environmental tobacco smoke (Z57.31)

tobacco dependence (F17.-) tobacco use (Z72.Ø)

Excludes 1 Kaposi's sarcoma of lung (C46.5-)

malignant carcinoid tumor of the bronchus and lung (C7A.Ø9Ø)

C34.Ø Malignant neoplasm of main bronchus

Malignant neoplasm of carina

Malignant neoplasm of hilus (of lung)

C34.00 Malignant neoplasm of unspecified main bronchus

C34.01 Malignant neoplasm of right main bronchus

C34.02 Malignant neoplasm of left main bronchus

C34.1 Malignant neoplasm of upper lobe, bronchus or lung

- C34.10 Malignant neoplasm of upper lobe, unspecified bronchus or lung
- C34.11 Malignant neoplasm of upper lobe, right bronchus or
- C34.12 Malignant neoplasm of upper lobe, left bronchus or lung C34.2 Malignant neoplasm of middle lobe, bronchus or lung
- C34.3 Malignant neoplasm of lower lobe, bronchus or lung
 - - C34.30 Malignant neoplasm of lower lobe, unspecified bronchus
 - C34.31 Malignant neoplasm of lower lobe, right bronchus or lung
- C34.32 Malignant neoplasm of lower lobe, left bronchus or lung C34.8 Malignant neoplasm of overlapping sites of bronchus and lung
 - C34.80 Malignant neoplasm of overlapping sites of unspecified bronchus and lung
 - C34.81 Malignant neoplasm of overlapping sites of right bronchus and lung
 - C34.82 Malignant neoplasm of overlapping sites of left bronchus and lung
- C34.9 Malignant neoplasm of unspecified part of bronchus or lung
 - C34.90 Malignant neoplasm of unspecified part of unspecified bronchus or lung

Lung cancer NOS

NERVE, NERVE ROOT AND PLEXUS DISORDERS (G5Ø-G59)

Excludes 1 current traumatic nerve, nerve root and plexus disorders – see Injury, nerve by body region

neuralgiá NOŚ (M79.2) neuritis NOS (M79.2)

peripheral neuritis in pregnancy (O26.82-) radiculitis NOS (M54.1)

G5Ø Disorders of trigeminal nerve

disorders of 5th cranial nerve

G5Ø.Ø Trigeminal neuralgia

Syndrome of paroxysmal facial pain

Tic douloureux

G50.1 Atypical facial pain

G5Ø.8 Other disorders of trigeminal nerve

G50.9 Disorder of trigeminal nerve, unspecified

G51 Facial nerve disorders

Includes disorders of 7th cranial nerve

G51.Ø Bell's palsy

Facial palsy

DEF Temporary, unilateral facial muscle weakness or paralysis resulting from damage or trauma to one of the paired facial nerves.

G51.1 Geniculate ganglionitis

Excludes 1 postherpetic geniculate ganglionitis (BØ2.21)

DEF Inflammation of the facial nerve ganglion.

G51.2 Melkersson's syndrome

Melkersson-Rosenthal syndrome

G51.3 Clonic hemifacial spasm

G51.4 Facial myokymia

G51.8 Other disorders of facial nerve

G51.9 Disorder of facial nerve, unspecified

G52 Disorders of other cranial nerves

Excludes2 disorders of acoustic [8th] nerve (H93.3) disorders of optic [2nd] nerve (H46, H47.Ø) paralytic strabismus due to nerve palsy (H49.Ø-H49.2)

G52.Ø Disorders of olfactory nerve

Disorders of 1st cranial nerve

G52.1 Disorders of glossopharyngeal nerve

Disorder of 9th cranial nerve

Glossopharyngeal neuralgia

G52.2 Disorders of vagus nerve

Disorders of pneumogastric [10th] nerve

G52.3 Disorders of hypoglossal nerve

Disorders of 12th cranial nerve

Disorders of multiple cranial nerves Polyneuritis cranialis

G52.8 Disorders of other specified cranial nerves

G52.9 Cranial nerve disorder, unspecified

Cranial nerve disorders in diseases classified elsewhere

Code first underlying disease, such as:

neoplasm (CØØ-D49)

Excludes 1 multiple cranial nerve palsy in sarcoidosis (D86.82) multiple cranial nerve palsy in syphilis (A52.15) postherpetic geniculate ganglionitis (BØ2.21) postherpetic trigeminal neuralgia (BØ2.22)

Nerve root and plexus disorders

Excludes 1 current traumatic nerve root and plexus disorders – see nerve injury by body region

intervertebral disc disorders (M5Ø-M51) neuralgia or neuritis NOS (M79.2)

neuritis or radiculitis: brachial NOS (M54.13)

lumbar NOS (M54.16) lumbosacral NOS (M54.17) thoracic NOS (M54.14)

radiculitis NOS (M54.10) radiculopathy NOS (M54.10)

spondylosis (M47.-) G54.Ø Brachial plexus disorders

Thoracic outlet syndrome

G54.1 Lumbosacral plexus disorders

G54.2 Cervical root disorders, not elsewhere classified

G54.3 Thoracic root disorders, not elsewhere classified

G54.4 Lumbosacral root disorders, not elsewhere classified

G54.5 Neuralgic amyotrophy

Parsonage-Aldren-Turner syndrome

Shoulder-girdle neuritis

Excludes 1 neuralgic amyotrophy in diabetes mellitus (EØ8-E13 with .44)

G54.6 Phantom limb syndrome with pain

G54.7 Phantom limb syndrome without pain

Phantom limb syndrome NOS

G54.8 Other nerve root and plexus disorders

G54.9 Nerve root and plexus disorder, unspecified

G55 Nerve root and plexus compressions in diseases classified elsewhere

neoplasm (CØØ-D49)

Excludes 1 nerve root compression (due to) (in) ankylosing spondylitis (M45.-) nerve root compression (due to) (in) dorsopathies (M53.-, M54.-) nerve root compression (due to) (in) intervertebral disc disorders (M5Ø.1-,

> nerve root compression (due to) (in) spondylopathies (M46.-, M48.-) nerve root compression (due to) (in) spondylosis (M47.Ø-M47.2-)


G56 Mononeuropathies of upper limb

Excludes 1 current traumatic nerve disorder - see nerve injury by body region

G56.Ø Carpal tunnel syndrome

DEF *Pain, burning, tingling and/or numbness in the fingers and hand,* often extending to the elbow, due to compression of the median nerve within the carpal tunnel

G56.00 Carpal tunnel syndrome, unspecified upper limb



G56.Ø1 Carpal tunnel syndrome, right upper limb

G56.02 Carpal tunnel syndrome, left upper limb

Other lesions of median nerve

G56.1Ø Other lesions of median nerve, unspecified upper limb

G56.11 Other lesions of median nerve, right upper limb

G56.12 Other lesions of median nerve, left upper limb

G56.2 Lesion of ulnar nerve

Tardy ulnar nerve palsy

G56.20 Lesion of ulnar nerve, unspecified upper limb

G56.21 Lesion of ulnar nerve, right upper limb

G56.22 Lesion of ulnar nerve, left upper limb

G56.3 Lesion of radial nerve

G56.30 Lesion of radial nerve, unspecified upper limb

G56.31 Lesion of radial nerve, right upper limb

G56.32 Lesion of radial nerve, left upper limb

G56.4 Causalgia of upper limb

Complex regional pain syndrome II of upper limb

Excludes 1 complex regional pain syndrome I of lower limb (90.52-) complex regional pain syndrome I of upper limb (G9Ø.51-) complex regional pain syndrome II of lower limb (G57.7-) reflex sympathetic dystrophy of lower limb (G90.52-) reflex sympathetic dystrophy of upper limb(G9Ø.51-)

DEF A burning pain in the arm along the course of a peripheral nerve, usually associated with skin changes.

G56.4Ø Causalgia of unspecified upper limb

G56.41 Causalgia of right upper limb

G56.42 Causalgia of left upper limb

Other mononeuropathies of upper limb

Interdigital neuroma of upper limb

G56.80 Other specified mononeuropathies of unspecified upper limb

G56.81 Other specified mononeuropathies of right upper limb

G56.82 Other specified mononeuropathies of left upper limb

H15.1 - H16.201


labi	ular Lis	it		DISEASES OF THE EYE
	H15.1	Episcler	itis	
		H15.1Ø		ed episcleritis
			•	Unspecified episcleritis, right eye
				Unspecified episcleritis, left eye
				Unspecified episcleritis, bilateral
				Unspecified episcleritis, unspecified eye
		H15.11		is periodica fugax odic attacks of inflammation of the sclera; typically of
				dic attacks of inflamination of the sciera, typically of a conset and short duration.
				Episcleritis periodica fugax, right eye
				Episcleritis periodica fugax, left eye
				Episcleritis periodica fugax, bilateral Episcleritis periodica fugax, unspecified eye
		H15.12		episcleritis
				Nodular episcleritis, right eye
				Nodular episcleritis, left eye
				Nodular episcleritis, bilateral Nodular episcleritis, unspecified eye
	H15.8	Other d	isorders of	
			2 blue scle	
			degenera	ative myopia (H44.2-)
		H15.81		al staphyloma
				Equatorial staphyloma, right eye Equatorial staphyloma, left eye
				Equatorial staphyloma, bilateral
				Equatorial staphyloma, unspecified eye
		H15.82	Localized	anterior staphyloma
				Localized anterior staphyloma, right eye
				Localized anterior staphyloma, left eye Localized anterior staphyloma, bilateral
				Localized anterior staphyloma, unspecified eye
		H15.83	Staphylo	ma posticum
				Staphyloma posticum, right eye
				Staphyloma posticum, left eye
				Staphyloma posticum, bilateral Staphyloma posticum, unspecified eye
		H15 84	Scleral ec	
		1113.04	DEF Cont	rents of the eyeball protrude through an abnormally section of the sclera.
				Scleral ectasia, right eye
				Scleral ectasia, left eye Scleral ectasia, bilateral
				Scleral ectasia, pliateral Scleral ectasia, unspecified eye
		H15.85	Ring stap	
				Ring staphyloma, right eye
				Ring staphyloma, left eye
				Ring staphyloma, bilateral Ring staphyloma, unspecified eye
		H15 80		orders of sclera
	H15.9			ler of sclera
H16	Keratit	is .		
	H16.Ø	Corneal	ulcer	
		H16.ØØ	•	ed corneal ulcer
				Unspecified corneal ulcer, right eye Unspecified corneal ulcer, left eye
				Unspecified corneal ulcer, left eye
				Unspecified corneal ulcer, unspecified eye
		H16.Ø1		orneal ulcer
				Central corneal ulcer, right eye
				Central corneal ulcer, left eye Central corneal ulcer, bilateral
				Central corneal ulcer, unspecified eye
		H16.Ø2	Ring corn	eal ulcer
				of ulceration encircling the entire edge of the cornea.
				Ring corneal ulcer, right eye Ring corneal ulcer, left eye
				Ring corneal ulcer, felt eye
				Ring corneal ulcer, unspecified eye
		H16.Ø3		Ilcer with hypopyon
				Corneal ulcer with hypopyon, right eye Corneal ulcer with hypopyon, left eye
				Corneal ulcer with hypopyon, bilateral
				Corneal ulcer with hypopyon, unspecified eye

H16.Ø4 Marginal corneal ulcer

H16.Ø41 Marginal corneal ulcer, right eye

(פכח־ששח)		CHAPTER / HIS.1 - HI
	H16.Ø42 H16.Ø43	Marginal corneal ulcer, left eye Marginal corneal ulcer, bilateral
	H16.049	Marginal corneal ulcer, unspecified eye
116.Ø5	Mooren's	corneal ulcer
	H16.Ø51	Mooren's corneal ulcer, right eye
	H16.Ø52	Mooren's corneal ulcer, left eye
	H16.Ø53	Mooren's corneal ulcer, bilateral
	H16.Ø59	Mooren's corneal ulcer, unspecified eye
116.Ø6	Mycotic o	orneal ulcer
	DEF Corn	eal ulcer caused by a fungal infection.
	H16.Ø61	Mycotic corneal ulcer, right eye
	H16.Ø62	,
	H16.Ø63	Mycotic corneal ulcer, bilateral
	H16.Ø69	Mycotic corneal ulcer, unspecified eye
116.Ø7	Perforate	d corneal ulcer
	H16.Ø71	
	H16.Ø72	
	H16.Ø73	· · · · · · · · · · · · · · · · · · ·
	H16.Ø79	Perforated corneal ulcer, unspecified eye

Perforated corneal ulcer



H16.1 Other and unspecified superficial keratitis without conjunctivitis

H16.1Ø	Unspecified	l superficial	keratitis
--------	-------------	---------------	-----------

H16.101 Unspecified superficial keratitis, right eye H16.102 Unspecified superficial keratitis, left eye

H16.103 Unspecified superficial keratitis, bilateral

H16.109 Unspecified superficial keratitis, unspecified eye

H16.11 Macular keratitis

Areolar keratitis Nummular keratitis

Stellate keratitis

Striate keratitis

H16.111 Macular keratitis, right eye

H16.112 Macular keratitis, left eye

H16.113 Macular keratitis, bilateral

H16.119 Macular keratitis, unspecified eye

H16.12 Filamentary keratitis

DEF Keratitis with twisted filaments of mucoid material on the surface of the cornea.

H16.121 Filamentary keratitis, right eye

H16.122 Filamentary keratitis, left eye

H16.123 Filamentary keratitis, bilateral

H16.129 Filamentary keratitis, unspecified eye

H16.13 Photokeratitis

Snow blindness

Welders keratitis

DEF Painful, inflamed cornea that develops due to overexposure to ultraviolet light.

H16.131 Photokeratitis, right eye

H16.132 Photokeratitis, left eye

H16.133 Photokeratitis, bilateral

H16.139 Photokeratitis, unspecified eye

H16.14 Punctate keratitis

H16.141 Punctate keratitis, right eye

H16.142 Punctate keratitis, left eye

H16.143 Punctate keratitis, bilateral

H16.149 Punctate keratitis, unspecified eye

H16.2 Keratoconjunctivitis

H16.2Ø Unspecified keratoconjunctivitis

Superficial keratitis with conjunctivitis NOS

H16.201 Unspecified keratoconjunctivitis, right eye

M27.3 Alveolitis of jaws

Alveolar osteitis

Dry socket

DEF Inflammation of the tooth sockets.

M27.4 Other and unspecified cysts of jaw

Excludes 1 cysts of oral region (KØ9.-)

latent bone cyst of jaw (M27.Ø) Stafne's cyst (M27.0)

M27.4Ø Unspecified cyst of jaw

Cyst of jaw NOS

M27.49 Other cysts of jaw

Aneurysmal cyst of jaw Hemorrhagic cyst of jaw Traumatic cvst of iaw

M27.5 Periradicular pathology associated with previous endodontic treatment

M27.51 Perforation of root canal space due to endodontic

M27.52 Endodontic overfill

M27.53 Endodontic underfill

M27.59 Other periradicular pathology associated with previous endodontic treatment

M27.6 Endosseous dental implant failure

M27.61 Osseointegration failure of dental implant

Hemorrhagic complications of dental implant placement latrogenic osseointegration failure of dental implant Osseointegration failure of dental implant due to complications of systemic disease

Osseointegration failure of dental implant due to poor bone quality

Pre-integration failure of dental implant NOS Pre-osseointegration failure of dental implant

M27.62 Post-osseointegration biological failure of dental implant

Failure of dental implant due to lack of attached gingiva Failure of dental implant due to occlusal trauma (caused by poor prosthetic design)

Failure of dental implant due to parafunctional habits Failure of dental implant due to periodontal infection (peri-

Failure of dental implant due to poor oral hygiene latrogenic post-osseointegration failure of dental implant Post-osseointegration failure of dental implant due to complications of systemic disease

M27.63 Post-osseointegration mechanical failure of dental implant

Failure of dental prosthesis causing loss of dental implant Fracture of dental implant

Excludes2 cracked tooth (KØ3.81)

fractured dental restorative material with loss of material (K08.531)

fractured dental restorative material without loss of material (K08.530) fractured tooth (SO2 5)

M27.69 Other endosseous dental implant failure

Dental implant failure NOS

M27.8 Other specified diseases of jaws

Cherubism

Exostosis

Fibrous dysplasia

Unilateral condylar hyperplasia Unilateral condylar hypoplasia

Excludes 1 jaw pain (R68.84)

M27.9 Disease of jaws, unspecified

SYSTEMIC CONNECTIVE TISSUE DISORDERS (M3Ø-M36)

autoimmune disease NOS collagen (vascular) disease NOS systemic autoimmune disease systemic collagen (vascular) disease

Excludes 1 autoimmune disease, single organ or single cell-type - code to relevant condition category

M3Ø Polyarteritis nodosa and related conditions

Excludes 1 microscopic polyarteritis (M31.7)

M3Ø.Ø Polyarteritis nodosa

DEF The body's immune system mistakenly attacks small and mediumsized blood vessels, resulting in tissue death.

M3Ø.1 Polyarteritis with lung involvement [Churg-Strauss]

Allergic granulomatous angiitis

M3Ø.2 Juvenile polyarteritis

M3Ø.3 Mucocutaneous lymph node syndrome [Kawasaki]

M3Ø.8 Other conditions related to polyarteritis nodosa

Polyangiitis overlap syndrome

M31 Other necrotizing vasculopathies

M31.Ø Hypersensitivity angiitis

Goodpasture's syndrome

M31.1 Thrombotic microangiopathy

Thrombotic thrombocytopenic purpura

M31.2 Lethal midline granuloma

DEF Severe tumor associated with infection that appears in the nose or sinuses and result in death.

M31.3 Wegener's granulomatosis

Necrotizing respiratory granulomatosis

M31.30 Wegener's granulomatosis without renal involvement Wegener's granulomatosis NOS

M31.31 Wegener's granulomatosis with renal involvement

M31.4 Aortic arch syndrome [Takayasu]

M31.5 Giant cell arteritis with polymyalgia rheumatica

M31.6 Other giant cell arteritis

M31.7 Microscopic polyangiitis

Microscopic polyarteritis

Excludes 1 polyarteritis nodosa (M3Ø.Ø)

M31.8 Other specified necrotizing vasculopathies

Hypocomplementemic vasculitis

Septic vasculitis

M31.9 Necrotizing vasculopathy, unspecified

M32 Systemic lupus erythematosus (SLE)

Excludes 1 lupus erythematosus (discoid) (NOS) (L93.Ø)

M32.Ø Drug-induced systemic lupus erythematosus

Use additional code for adverse effect, if applicable, to identify drug (T36-T5Ø with fifth or sixth character 5)

M32.1 Systemic lupus erythematosus with organ or system involvement

- M32.10 Systemic lupus erythematosus, organ or system involvement unspecified
- M32.11 Endocarditis in systemic lupus erythematosus Libman-Sacks disease
- M32.12 Pericarditis in systemic lupus erythematosus
- M32.13 Lung involvement in systemic lupus erythematosus Pleural effusion due to systemic lupus erythematosus
- M32.14 Glomerular disease in systemic lupus erythematosus Lupus renal disease NOS
- M32.15 Tubulo-interstitial nephropathy in systemic lupus erythematosus

M32.19 Other organ or system involvement in systemic lupus erythematosus

M32.8 Other forms of systemic lupus erythematosus

M32.9 Systemic lupus erythematosus, unspecified

SLE NOS

Systemic lupus erythematosus NOS

Systemic lupus erythematosus without organ involvement

M33 Dermatopolymyositis

M33.Ø Juvenile dermatopolymyositis

M33.00 Juvenile dermatopolymyositis, organ involvement

M33.Ø1 Juvenile dermatopolymyositis with respiratory involvement

M33.02 Juvenile dermatopolymyositis with myopathy

M33.09 Juvenile dermatopolymyositis with other organ involvement

M33.1 Other dermatopolymyositis

M33.1Ø Other dermatopolymyositis, organ involvement unspecified

M33.11 Other dermatopolymyositis with respiratory involvement

M33.12 Other dermatopolymyositis with myopathy

M33.19 Other dermatopolymyositis with other organ involvement M33.2 Polymyositis

M33.20 Polymyositis, organ involvement unspecified

M33.21 Polymyositis with respiratory involvement

M33.22 Polymyositis with myopathy

	S55.Ø1	_	artery at forearm level Laceration of ulnar artery at forearm				•	S55.819-	Laceration of other blood vessels at forearm level, unspecified arm
		⊘ S55.Ø12-	level, right arm Laceration of ulnar artery at forearm			S55.89	Other spe level	ecified inju	ry of other blood vessels at forearm
		Ø S55.Ø19-	level, left arm Laceration of ulnar artery at forearm						Other specified injury of other blood vessels at forearm level, right arm
	\$55.09	Other specified inju	level, unspecified arm ury of ulnar artery at forearm level				•	S55.892-	Other specified injury of other blood vessels at forearm level, left arm
			Other specified injury of ulnar artery at forearm level, right arm				7	S55.899-	vessels at forearm level, unspecified
		7 S55.Ø92-	Other specified injury of ulnar artery at forearm level, left arm		S55.9	Injury o	of unspecifie	ed blood v	arm essel at forearm level
		7 S55.Ø99-	Other specified injury of ulnar artery at forearm level, unspecified arm			S55.9Ø	Unspecifi level	ed injury (of unspecified blood vessel at forearm
S55.1	Injury o	f radial artery at fore	arm level				7	S55.9Ø1-	Unspecified injury of unspecified
	S55.1Ø	Unspecified injury	of radial artery at forearm level						blood vessel at forearm level, right arm
		⊘ S55.1Ø1-	Unspecified injury of radial artery at forearm level, right arm				7	S55.9Ø2-	Unspecified injury of unspecified blood vessel at forearm level, left arm
		⊘ S55.1Ø2-	Unspecified injury of radial artery at forearm level, left arm				0	S55.9Ø9-	Unspecified injury of unspecified blood vessel at forearm level,
		7 S55.1Ø9-	Unspecified injury of radial artery at forearm level, unspecified arm						unspecified arm
	S 55 11	Laceration of radial	artery at forearm level			S55.91		•	ecified blood vessel at forearm level
	333.11		Laceration of radial artery at forearm level, right arm						Laceration of unspecified blood vessel at forearm level, right arm
		S55.112-	Laceration of radial artery at forearm level, left arm						Laceration of unspecified blood vessel at forearm level, left arm
		S55.119-	Laceration of radial artery at forearm level, unspecified arm						Laceration of unspecified blood vessel at forearm level, unspecified arm
	S55.19	Other specified init	ıry of radial artery at forearm level			S55.99		ecified inju m level	rry of unspecified blood vessel at
		S55.191-	Other specified injury of radial artery at forearm level, right arm				_		Other specified injury of unspecified blood vessel at forearm level, right
		S55.192-	Other specified injury of radial artery at forearm level, left arm				7	S55.992-	other specified injury of unspecified
655.0			Other specified injury of radial artery at forearm level, unspecified arm				•	S55.999-	blood vessel at forearm level, left arm Other specified injury of unspecified blood vessel at forearm level,
S55.2		of vein at forearm leve							unspecified arm
	\$55.20		of vein at forearm level Unspecified injury of vein at forearm	S56	Injury	of muscle	e, fascia an	d tendon a	at forearm level
			level, right arm Unspecified injury of vein at forearm			les2 injury		ascia and te	ndon at or below wrist (S66)
			level, left arm Unspecified injury of vein at forearm				-		to be added to each code from
	CEE 21		level, unspecified arm		cat A	tegory S5 initial end	56 counter		
	555.21	Laceration of vein a				subseque sequela	ent encoun	ter	
			Laceration of vein at forearm level, right arm			•	of flexor mu	scle, fascia	and tendon of thumb at forearm level
		S55.212-	Laceration of vein at forearm level, left arm			S56.ØØ		ed injury o	of flexor muscle, fascia and tendon of m level
		⑦ S55.219-	Laceration of vein at forearm level, unspecified arm				7	S56.ØØ1-	Unspecified injury of flexor muscle, fascia and tendon of right thumb at
	S55.29		ury of vein at forearm level						forearm level
			Other specified injury of vein at forearm level, right arm				7	S56.ØØ2-	Unspecified injury of flexor muscle, fascia and tendon of left thumb at forearm level
		_	Other specified injury of vein at forearm level, left arm				0	S56.ØØ9-	
-			Other specified injury of vein at forearm level, unspecified arm			CF 6 7/4	Capain - f	flove =	thumb at forearm level
S55.8		of other blood vessels				1 0.006		nexor mus m level	cie, iascia anu tenuon oi thumb at
	S55.8Ø		of other blood vessels at forearm level						Strain of flexor muscle, fascia and
			Unspecified injury of other blood vessels at forearm level, right arm						tendon of right thumb at forearm level
		_	Unspecified injury of other blood vessels at forearm level, left arm				•	S56.Ø12-	Strain of flexor muscle, fascia and tendon of left thumb at forearm level
		7 S55.8Ø9-	Unspecified injury of other blood vessels at forearm level, unspecified arm				•	S56.Ø19-	Strain of flexor muscle, fascia and tendon of unspecified thumb at forearm level
	S55.81	Laceration of other	blood vessels at forearm level			S56.Ø2	Laceratio	n of flexor	muscle, fascia and tendon of thumb at
			Laceration of other blood vessels at forearm level, right arm				forear	m level	Laceration of flexor muscle, fascia
		9 S55.812-	Laceration of other blood vessels at forearm level, left arm						and tendon of right thumb at forearm level

Occupant of railway train or railway

Occupant of railway train or railway

vehicle injured in derailment without

vehicle injured by fall from railway

train or railway vehicle

antecedent collision

V81.81x- Occupant of railway train or railway

V81.6xx

specified railway accidents

V81.8 Occupant of railway train or railway vehicle injured in other

/81.6xx- - V84.3xx-

V82

	₩ V81.81x-	vehicle injured due to explosion or fire on train
	7 V81.82x	Occupant of railway train or railway vehicle injured due to object falling onto train
		Occupant of railway train or railway vehicle injured due to falling earth onto train
		Occupant of railway train or railway vehicle injured due to falling rocks onto train
		Occupant of railway train or railway vehicle injured due to falling snow onto train
		Occupant of railway train or railway vehicle injured due to falling trees onto train
	7 V81.83x-	Occupant of railway train or railway vehicle injured due to collision with military vehicle
	7 V81.89x-	Occupant of railway train or railway vehicle injured due to other specified railway accident
	7 V81.9xx-	Occupant of railway train or railway vehicle injured in unspecified railway accident Railway accident NOS
Occupant of powered s	treetcar iniur	red in transport accident
Includes interurban ele	-	
person on out	side of streetc	ar
tram (car) trolley (car)		
Excludes 1 bus (V7Ø-V79)		
motorcoach (\		
nonpowered si train (V81)	treetcar (V76)	
		As he added to each and from
the appropriate 7th category V82	character is	to be added to each code from
A initial encounter		
D subsequent enco	unter	
S sequela	⑦ V82.Øxx-	Occupant of streetcar injured in
		collision with motor vehicle in nontraffic accident
	V82.1xx -	Occupant of streetcar injured in collision with motor vehicle in traffic accident
	7 V82.2xx-	collision with or hit by rolling stock
	V82.3xx -	Occupant of streetcar injured in collision with other object
		Excludes1 collision with animal-drawn vehicle or animal being ridden (V82.8)
	7 V82.4xx-	Person injured while boarding or alighting from streetcar
	⊘ V82.5xx-	in streetcar
		Excludes 1 fall in streetcar:
		while boarding or alighting (V82.4)
	_	while boarding or alighting

Excludes 1

fall from streetcar: while boarding or alighting

(V82.4)

with antecedent collision

(V82.0-V82.3)

V82.7xx Occupant of streetcar injured in derailment without antecedent collision Excludes1 occupant of streetcar injured in derailment with antecedent collision (V82.0-V82.3) V82.8xx- Occupant of streetcar injured in other specified transport accidents Streetcar collision with military vehicle Streetcar collision with train or nonmotor vehicles **V82.9xx** Occupant of streetcar injured in unspecified traffic accident Streetcar accident NOS V83 Occupant of special vehicle mainly used on industrial premises injured in transport accident battery-powered airport passenger vehicle battery-powered truck (baggage) (mail) coal-car in mine forklift (truck) logging car self-propelled industrial truck station baggage truck (powered) tram, truck, or tub (powered) in mine or quarry Excludes 1 special construction vehicles (V85.-) special industrial vehicle in stationary use or maintenance (W31.-) The appropriate 7th character is to be added to each code from category V83 initial encounter subsequent encounter sequela V83.Øxx-Driver of special industrial vehicle injured in traffic accident V83.1xx-Passenger of special industrial vehicle injured in traffic accident V83.2xx-Person on outside of special industrial vehicle injured in traffic accident **V83.3xx**-Unspecified occupant of special industrial vehicle injured in traffic accident V83.4xx- Person injured while boarding or alighting from special industrial Driver of special industrial vehicle **V83.5xx** injured in nontraffic accident V83.6xx-Passenger of special industrial vehicle injured in nontraffic accident V83.7xx-Person on outside of special industrial vehicle injured in nontraffic accident Unspecified occupant of special **V83.9xx** industrial vehicle injured in nontraffic accident Special industrial vehicle accident NOS Occupant of special vehicle mainly used in agriculture injured in transport self-propelled farm machinery tractor (and trailer) Excludes 1 animal-powered farm machinery accident (W3Ø.8-) contact with combine harvester (W3Ø.Ø) special agricultural vehicle in stationary use or maintenance (W3Ø.-) The appropriate 7th character is to be added to each code from category V84 initial encounter subsequent encounter sequela V84.Øxx-Driver of special agricultural vehicle injured in traffic accident Passenger of special agricultural **V84.1xx** vehicle injured in traffic accident V84.2xx- Person on outside of special agricultural vehicle injured in traffic

Α

D

ς

accident

Α

D

S

V84.3xx-

accident

accident

Unspecified occupant of special

agricultural vehicle injured in traffic

Z21 Asymptomatic human immunodeficiency virus [HIV] infection status HIV positive NOS

Code first Human immunodeficiency virus [HIV] disease complicating pregnancy, childbirth and the puerperium, ifapplicable (O98.7-)

Z22.Ø

Excludes 1 acquired immunodeficiency syndrome (B2Ø)

contact with human immunodeficiency virus [HIV] (Z2Ø.6) exposure to human immunodeficiency virus [HIV] (Z2Ø.6) human immunodeficiency virus [HIV] disease (B2Ø)

inconclusive laboratory evidence of human immunodeficiency virus [HIV]

Z22 Carrier of infectious disease

colonization status suspected carrier

Carrier of typhoid

Z22.1 Carrier of other intestinal infectious diseases

Z22.2 Carrier of diphtheria

Z22.3 Carrier of other specified bacterial diseases

Z22.31 Carrier of bacterial disease due to meningococci

Carrier of bacterial disease due to staphylococci

Z22.321 Carrier or suspected carrier of Methicillin susceptible Staphylococcus aureus MSSA colonization

Z22.322 Carrier or suspected carrier of Methicillin resistant Staphylococcus aureus MRSA colonization

Z22.33 Carrier of bacterial disease due to streptococci Z22.33Ø Carrier of Group B streptococcus

Z22.338 Carrier of other streptococcus

Z22.39 Carrier of other specified bacterial diseases

Carrier of infections with a predominantly sexual mode of Z22.4 transmission

Z22.5 Carrier of viral hepatitis

Z22.50 Carrier of unspecified viral hepatitis

Carrier of viral hepatitis B Hepatitis B surface antigen [HBsAg] carrier

Z22.52 Carrier of viral hepatitis C

Z22.59 Carrier of other viral hepatitis

Z22.6 Carrier of human T-lymphotropic virus type-1 [HTLV-1] infection

Z22.8 Carrier of other infectious diseases

Carrier of infectious disease, unspecified

Z23 Encounter for immunization

Note: procedure codes are required to identify the types of immunizations given Code first any routine childhood examination

Z28 Immunization not carried out and underimmunization status

vaccination not carried out

Immunization not carried out because of contraindication Z28.Ø

> Z28.01 Immunization not carried out because of acute illness of patient

Z28.Ø2 Immunization not carried out because of chronic illness or condition of patient

Z28.03 Immunization not carried out because of immune compromised state of patient

Z28.04 Immunization not carried out because of patient allergy to vaccine or component

Z28.09 Immunization not carried out because of other contraindication

Z28.1 Immunization not carried out because of patient decision for reasons of belief or group pressure

Immunization not carried out because of religious belief

Z28.2 Immunization not carried out because of patient decision for other and unspecified reason

> Immunization not carried out because of patient decision for unspecified reason

Z28.21 Immunization not carried out because of patient refusal

Z28.29 Immunization not carried out because of patient decision for other reason

Z28.3 Underimmunization status

Delinquent immunization status Lapsed immunization schedule status

Immunization not carried out for other reason

Z28.81 Immunization not carried out due to patient having had the disease

Z28.82 Immunization not carried out because of caregiver refusal

Immunization not carried out because of guardian refusal Immunization not carried out because of parent refusal **Excludes 1** immunization not carried out because of caregiver

refusal because of religious belief (Z28.1)

Z28.89 Immunization not carried out for other reason

Immunization not carried out for unspecified reason Z28.9

Z3Ø Encounter for contraceptive management

Z3Ø.Ø Encounter for general counseling and advice on contraception

Encounter for initial prescription of contraceptives

Excludes 1 encounter for surveillance of contraceptives (Z3Ø.4-)

Z3Ø.Ø11 Encounter for initial prescription of contraceptive pills

Z3Ø.Ø12 Encounter for prescription of emergency contraception

Encounter for postcoital contraception

Z3Ø.Ø13 Encounter for initial prescription of injectable contraceptive

Z3Ø.Ø14 Encounter for initial prescription of intrauterine contraceptive device

Excludes 1 encounter for insertion of intrauterine contraceptive device (Z30.430, 730432)

Z3Ø.Ø18 Encounter for initial prescription of other contraceptives

Z3Ø.Ø19 Encounter for initial prescription of contraceptives, unspecified

Z3Ø.Ø2 Counseling and instruction in natural family planning to avoid pregnancy

Z3Ø.Ø9 Encounter for other general counseling and advice on contraception

Encounter for family planning advice NOS

Z30.2 Encounter for sterilization

Encounter for surveillance of contraceptives

Z30.40 Encounter for surveillance of contraceptives, unspecified

Encounter for surveillance of contraceptive pills Encounter for repeat prescription for contraceptive pill

Z30.42 Encounter for surveillance of injectable contraceptive

Z3Ø.43 Encounter for surveillance of intrauterine contraceptive device

> Z3Ø.43Ø Encounter for insertion of intrauterine contraceptive device

Z3Ø.431 Encounter for routine checking of intrauterine contraceptive device

Z3Ø.432 Encounter for removal of intrauterine contraceptive device

Z3Ø.433 Encounter for removal and reinsertion of intrauterine contraceptive device

Encounter for replacement of intrauterine contraceptive device

Z30.49 Encounter for surveillance of other contraceptives

Z3Ø.8 Encounter for other contraceptive management

Encounter for postvasectomy sperm count

Encounter for routine examination for contraceptive maintenance Excludes 1 sperm count following sterilization reversal (Z31.42)

sperm count for fertility testing (Z31.41)

Z30.9 Encounter for contraceptive management, unspecified

Z31 Encounter for procreative management

Excludes 1 complications associated with artificial fertilization (N98.-) female infertility (N97.-) male infertility (N46.-)

Z31.Ø Encounter for reversal of previous sterilization

Z31.4 Encounter for procreative investigation and testing

Excludes 1 postvasectomy sperm count (Z3Ø.8)

Z31.41 Encounter for fertility testing

Encounter for Fallopian tube patency testing Encounter for sperm count for fertility testing

Z31.42 Aftercare following sterilization reversal Sperm count following sterilization reversal

Z31.43 Encounter for genetic testing of female for procreative management

Use additional code for recurrent pregnancy loss, if applicable (N96, 026 2-1

Excludes 1 nonprocreative genetic testing (Z13.7-)