

ICD-9-CM Code	ICD-10-CM Code(s)	
309.9	Unspecified adjustment reaction	
ICD-10-CM Codes	F43.20 Adjustment disorder, unspecified **There are more specific code choice selections available in ICD-10-CM. These include: F43.21 Adjustment disorder with depressed mood F43.22 Adjustment disorder with anxiety F43.23 Adjustment disorder with mixed anxiety and depressed mood F43.24 Adjustment disorder with disturbance of conduct F43.25 Adjustment disorder with mixed disturbance of emotions and conduct F43.29 Adjustment disorder with other symptoms	
296.36	Major depressive affective disorder recurrent episode in full remission	F33.42 Major depressive disorder, recurrent, in full remission
300.00	Anxiety state unspecified	
ICD-10-CM Codes	F41.9 Anxiety disorder, unspecified **There are more specific code choice selections available in ICD-10-CM. These include: F41.1 Generalized anxiety disorder F41.8 Other specified anxiety disorders	
296.32	Major depressive affective disorder recurrent episode moderate degree	F33.1 Major depressive disorder, recurrent, moderate
311	Depressive disorder not elsewhere classified	
ICD-10-CM Codes	F32.9 Major depressive disorder, single episode, unspecified **There are more specific code choice selections available in ICD-10-CM. These include: F32.0 Major depressive disorder, single episode, mild F32.1 Major depressive disorder, single episode, moderate F32.2 Major depressive disorder, single episode, severe without psychotic features F32.3 Major depressive disorder, single episode, severe with psychotic features F32.4 Major depressive disorder, single episode, in partial remission F32.5 Major depressive disorder, single episode, in full remission F32.8 Other depressive episodes	
314.9	Unspecified hyperkinetic syndrome of childhood	
ICD-10-CM Codes	F90.0 Attention-deficit hyperactivity disorder, predominantly inattentive type F90.1 Attention-deficit hyperactivity disorder, predominantly hyperactive type F90.2 Attention-deficit hyperactivity disorder, combined type F90.8 Attention-deficit hyperactivity disorder, other type F90.9 Attention-deficit hyperactivity disorder, unspecified type	
296.31	Major depressive affective disorder recurrent episode mild degree	F33.0 Major depressive disorder, recurrent, mild

ICD-9-CM Code	ICD-10-CM Code(s)	
296.7	Bipolar I disorder, most recent episode (or current) unspecified	
ICD-10-CM Codes	F31.9 Bipolar disorder, unspecified **There are more specific code choice selections available in ICD-10-CM. These include: F31.0 Bipolar disorder, current episode hypomanic F31.10 Bipolar disorder, current episode manic without psychotic features, unspecified F31.11 Bipolar disorder, current episode manic without psychotic features, mild F31.12 Bipolar disorder, current episode manic without psychotic features, moderate F31.13 Bipolar disorder, current episode manic without psychotic features, severe F31.30 Bipolar disorder, current episode depressed, mild or moderate severity, unspecified F31.31 Bipolar disorder, current episode depressed, mild F31.32 Bipolar disorder, current episode depressed, moderate F31.4 Bipolar disorder, current episode depressed, severe, without psychotic features F31.5 Bipolar disorder, current episode depressed, severe, with psychotic features F31.60 Bipolar disorder, current episode mixed, unspecified F31.61 Bipolar disorder, current episode mixed, mild F31.62 Bipolar disorder, current episode mixed, moderate F31.63 Bipolar disorder, current episode mixed, severe, without psychotic features F31.64 Bipolar disorder, current episode mixed, severe, with psychotic features F31.70 Bipolar disorder, currently in remission most recent episode unspecified F31.71 Bipolar disorder, currently in partial remission, most recent episode hypomanic F31.72 Bipolar disorder, currently in full remission, most recent episode hypomanic F31.73 Bipolar disorder, currently in partial remission, most recent episode manic F31.74 Bipolar disorder, currently in full remission, most recent episode manic F31.75 Bipolar disorder, currently in partial remission, most recent episode depressed F31.76 Bipolar disorder, currently in full remission, most recent episode depressed F31.77 Bipolar disorder, currently in partial remission, most recent episode mixed F31.78 Bipolar disorder, currently in full remission, most recent episode mixed	
300.4	Dysthymic disorder	F34.1 Dysthymic disorder
300.3	Obsessive compulsive disorders	F42 Obsessive-compulsive disorder
296.90	Unspecified episodic mood disorder	F39 Unspecified mood [affective] disorder



ICD-9-CM Code	ICD-10-CM Code(s)	
295.70	Schizoaffective type schizophrenia unspecified state	
ICD-10-CM Codes	F25.9 Schizoaffective disorder, unspecified **There are more specific code choice selections available in ICD-10-CM. These include: F25.0 Schizoaffective disorder, bipolar type F25.1 Schizoaffective disorder, depressive type F25.8 Other schizoaffective disorders	
294.8	Other persistent mental disorders due to conditions classified elsewhere	F06.8 Other specified mental disorders due to known physiological condition
296.35	Major depressive affective disorder recurrent episode in partial or unspecified remission	F33.41 Major depressive disorder, recurrent, in partial remission
309.28	Adjustment disorder with mixed anxiety and depressed mood	F43.23 Adjustment disorder with mixed anxiety and depressed mood
298.9	Unspecified psychosis	F29 Unspecified psychosis not due to a substance or known physiological condition
294.9	Unspecified persistent mental disorders due to conditions classified elsewhere	F06.8 Other specified mental disorders due to known physiological condition
309.24	Adjustment disorder with anxiety	F43.22 Adjustment disorder with anxiety
296.89	Bipolar disorder, other	
ICD-10-CM Codes	F31.81 Bipolar II disorder F31.89 Other bipolar disorder	
296.33	Major depressive affective disorder recurrent episode severe degree without psychotic behavior	F33.2 Major depressive disorder, recurrent severe without psychotic features
296.66	Bipolar I disorder, most recent episode (or current) mixed in full remission	F31.78 Bipolar disorder, in full remission, most recent episode mixed
302.6	Gender identity disorder in children	F64.2 Gender identity disorder of childhood
296.80	Bipolar disorder, unspecified	
ICD-10-CM Codes	F31.9 Bipolar disorder, unspecified **There are more specific code choice selections available in ICD-10-CM. These include: F31.0 Bipolar disorder, current episode hypomanic F31.10 Bipolar disorder, current episode manic without psychotic features, unspecified F31.11 Bipolar disorder, current episode manic without psychotic features, mild F31.12 Bipolar disorder, current episode manic without psychotic features, moderate F31.13 Bipolar disorder, current episode manic without psychotic features, severe F31.30 Bipolar disorder, current episode depressed, mild or moderate severity, unspecified F31.31 Bipolar disorder, current episode depressed, mild	

ICD-9-CM Code	ICD-10-CM Code(s)	
ICD-10-CM Codes (cont.)	F31.32 Bipolar disorder, current episode depressed, moderate F31.4 Bipolar disorder, current episode depressed, severe, without psychotic features F31.5 Bipolar disorder, current episode depressed, severe, with psychotic features F31.60 Bipolar disorder, current episode mixed, unspecified F31.61 Bipolar disorder, current episode mixed, mild F31.62 Bipolar disorder, current episode mixed, moderate F31.63 Bipolar disorder, current episode mixed, severe, without psychotic features F31.64 Bipolar disorder, current episode mixed, severe, with psychotic features F31.70 Bipolar disorder, currently in remission most recent episode unspecified F31.71 Bipolar disorder, currently in partial remission, most recent episode hypomanic F31.72 Bipolar disorder, currently in full remission, most recent episode hypomanic F31.73 Bipolar disorder, currently in partial remission, most recent episode manic F31.74 Bipolar disorder, currently in full remission, most recent episode manic F31.75 Bipolar disorder, currently in partial remission, most recent episode depressed F31.76 Bipolar disorder, currently in full remission, most recent episode depressed F31.77 Bipolar disorder, currently in partial remission, most recent episode mixed F31.78 Bipolar disorder, currently in full remission, most recent episode mixed	
300.02	Generalized anxiety disorder	F41.1 Generalized anxiety disorder
309.81	Posttraumatic stress disorder	
ICD-10-CM Codes	F43.10 Posttraumatic stress disorder, unspecified F43.11 Posttraumatic stress disorder, acute F43.12 Posttraumatic stress disorder, chronic	
300.01	Panic disorder without agoraphobia	F41.0 Panic disorder [episodic paroxysmal anxiety] without agoraphobia
296.34	Major depressive affective disorder recurrent episode severe degree specified as with psychotic behavior	F33.3 Major depressive disorder, recurrent, severe with psychotic symptoms
331.0	Alzheimer's disease	
ICD-10-CM Codes	G30.0 Alzheimer's disease with early onset G30.1 Alzheimer's disease with late onset G30.8 Other Alzheimer's disease G30.9 Alzheimer's disease, unspecified	
301.83	Borderline personality disorder	F60.3 Borderline personality disorder
296.52	Bipolar I disorder, most recent episode (or current) depressed moderate degree	F31.32 Bipolar disorder, current episode depressed, moderate



ICD-9-CM Code	ICD-10-CM Code(s)	
309.89	Other specified adjustment reactions	F34.8 Other reactions to severe stress
314.01	Attention deficit disorder of childhood with hyperactivity	
ICD-10-CM Codes	F90.0 Attention-deficit hyperactivity disorder, predominantly inattentive type F90.1 Attention-deficit hyperactivity disorder, predominantly hyperactive type F90.2 Attention-deficit hyperactivity disorder, combined type F90.8 Attention-deficit hyperactivity disorder, other type F90.9 Attention-deficit hyperactivity disorder, unspecified type	
304.03	Opioid type dependence in remission	F11.21 Opioid dependence, in remission
296.62	Bipolar I disorder, most recent episode (or current) mixed moderate degree	F31.62 Bipolar disorder, current episode mixed, moderate
296.60	Bipolar I disorder, most recent episode (or current) mixed unspecified degree	
ICD-10-CM Codes	F31.60 Bipolar disorder, current episode mixed, unspecified **There are more specific code choice selections available in ICD-10-CM. These include: F31.61 Bipolar disorder, current episode mixed, mild F31.62 Bipolar disorder, current episode mixed, moderate F31.63 Bipolar disorder, current episode mixed, severe, without psychotic features F31.64 Bipolar disorder, current episode mixed, severe, with psychotic features	
293.83	Mood disorder in conditions classified elsewhere	
ICD-10-CM Codes	F06.30 Mood disorder due to known physiological condition, unspecified F06.31 Mood disorder due to known physiological condition with depressive features F06.32 Mood disorder due to known physiological condition with major depressive-like episode F06.33 Mood disorder due to known physiological condition with manic features F06.34 Mood disorder due to known physiological condition with mixed features	
314.8	Other specified manifestations of hyperkinetic syndrome	F90.8 Attention-deficit hyperactivity disorder, other type
309.0	Adjustment reaction with adjustment disorder with depressed mood	F43.21 Adjustment disorder with depressed mood
304.00	Opioid type dependence unspecified use	
ICD-10-CM Codes	F11.20 Opioid dependence, uncomplicated **There are more specific code choice selections available in ICD-10-CM. These include: F11.21 Opioid dependence, in remission F11.220 Opioid dependence with intoxication, uncomplicated F11.221 Opioid dependence with intoxication delirium F11.222 Opioid dependence with intoxication with perceptual disturbance	

ICD-9-CM Code	ICD-10-CM Code(s)	
ICD-10-CM Codes (cont.)	F11.229 Opioid dependence with intoxication, unspecified F11.23 Opioid dependence with withdrawal F11.24 Opioid dependence with opioid-induced mood disorder F11.250 Opioid dependence with opioid-induced psychotic disorder with delusions F11.251 Opioid dependence with opioid-induced psychotic disorder with hallucinations F11.259 Opioid dependence with opioid-induced psychotic disorder, unspecified F11.281 Opioid dependence with opioid-induced sexual dysfunction F11.282 Opioid dependence with opioid-induced sleep disorder F11.288 Opioid dependence with other opioid-induced disorder F11.29 Opioid dependence with unspecified opioid-induced disorder	
307.42	Persistent disorder of initiating or maintaining sleep	
ICD-10-CM Codes	F51.01 Primary insomnia F51.02 Adjustment insomnia F51.03 Paradoxical insomnia F51.04 Psychophysiological insomnia F51.05 Insomnia due to other mental disorder **Code also associated mental disorder F51.09 Other insomnia not due to a substance of known physiological condition	
296.54	Bipolar I disorder, most recent episode (or current) depressed severe degree specified as with psychotic behavior	F31.5 Bipolar disorder, current episode depressed, severe, with psychotic features
300.23	Social phobia	
ICD-10-CM Codes	F40.10 Social phobia, unspecified F40.11 Social phobia, generalized	
296.30	Major depressive affective disorder recurrent episode unspecified degree	
ICD-10-CM Codes	F33.9 Major depressive disorder, recurrent, unspecified **There are more specific code choice selections available in ICD-10-CM. These include: F33.0 Major depressive disorder, recurrent, mild F33.1 Major depressive disorder, recurrent, moderate F33.2 Major depressive disorder, recurrent severe without psychotic features F33.3 Major depressive disorder, recurrent, severe with psychotic features F33.40 Major depressive disorder, recurrent, in remission, unspecified F33.41 Major depressive disorder, recurrent, in partial remission F33.42 Major depressive disorder, recurrent, in full remission F33.8 Other recurrent depressive disorders	
309.3	Adjustment disorder with disturbance of conduct	F43.24 Adjustment disorder with disturbance of conduct

ICD-9-CM Code		ICD-10-CM Code(s)
296.22	Major depressive affective disorder single episode moderate degree	F32.1 Major depressive disorder, single episode, moderate
300.21	Agoraphobia with panic disorder	F40.01 Agoraphobia with panic disorder
296.53	Bipolar I disorder, most recent episode (or current) depressed severe degree, without mention of psychotic behavior	F31.4 Bipolar disorder, current episode depressed, severe without psychotic features

ICD-9-CM Code		ICD-10-CM Code(s)
293.0	Delirium due to conditions classified elsewhere	
ICD-10-CM Codes		F05 Delirium due to known physiological condition **Code first the underlying physiological condition 301.3 Explosive personality disorder F60.3 Borderline personality disorder
300.11	Conversion disorder	
ICD-10-CM Codes		F44.4 Conversion disorder with motor symptom or deficit F44.5 Conversion disorder with seizures or convulsions F44.6 Conversion disorder with sensory symptom or deficit F44.7 Conversion disorder with mixed symptom presentation F44.89 Other dissociative and conversion disorders F44.9 Dissociative and conversion disorder, unspecified

Fast Forward
to ICD-10

